Analysis report

npp.8.9.9.1.Installer.x64.exe

Tool `analyze-anything 0.1.1`
Input SHA-256 `ce3267f5c4e7e42f847e00f4b20234da6150647203033cdde34a69593efc3152`

Summary

▲ High	◆ Medium	● Low	○ Info
0	2	28	185

Input	single file
Files analyzed / all files (unpacked ones included)	270 / 270
Containers unpacked	3
Bytes read	36861209
Findings	215 (By severity: High 0 • Medium 2 • Low 28 • Info 185)

How to read this

Every finding states its confidence: "Verified" was read directly from a file structure or checked cryptographically; "Derived" follows from what was read by a fixed rule; "Heuristic" is a rule's guess and may be wrong. Entries with severity "Info" are neutral facts, not problems.

Findings of the same rule are shown as one entry: a sentence that repeats is written once, followed by the files it holds for. Long lists show their first items and say how many are left out; the evidence and ID of every finding are in report.html and report.json.

This PDF is for reading and filing: long lists are cut and say so; report.html and report.json hold the complete data.

Contents

Summary 1
1 Overview • 9 kinds / 9 findings 2
Needs attention • 5 kinds / 30 findings 2
2 Identity • 6 kinds / 38 findings 3
3 Provenance and signing • 2 kinds / 2 findings 4
4 Structure • 7 kinds / 9 findings 5
5 Technology and composition • 4 kinds / 36 findings 6
6 Permissions and capabilities • 12 kinds / 13 findings 7
7 Hardening • 10 kinds / 86 findings 8
8 Network and endpoints • 1 kind / 1 finding 10
9 Secrets 10
10 Privacy 10
11 Code insight • 2 kinds / 19 findings 10
12 Anomalies • 2 kinds / 2 findings 11
13 File inventory 11
14 Coverage and limitations 20

1 Overview • 9 kinds / 9 findings

○ Info ✓ Verified **Kind of input**
This is a Windows installer in NSIS V3, Unicode strings, Lzma compression (Solid) format.
Evidence `npp.8.9.9.1.Installer.x64.exe = pe`
Finding ID `7e745bc60f1082ac`

○ Info ✓ Verified **Product**
Product name: Notepad++ v8.9.9.1.
Evidence `npp.8.9.9.1.Installer.x64.exe @ installer product = Notepad++ v8.9.9.1`
Finding ID `11e2f8693278908e`

○ Info ✓ Verified **Version**
Version: 8.9.9.1.
Evidence `npp.8.9.9.1.Installer.x64.exe @ version = 8.9.9.1`
Finding ID `356113cfa80a5ff9`

○ Info ✓ Verified **Claimed publisher**
The publisher written in the file is Notepad++ Team. This is the file's own claim, which anyone can fill in; it is not the signer.
Evidence `npp.8.9.9.1.Installer.x64.exe @ publisher = Notepad++ Team`
Finding ID `f86ba7ff8db79c8f`

○ Info ✓ Verified **Signing**
The input file carries an Authenticode signature by NOTEPAD++; the file matches the signature, and the signature and the embedded certificate chain verify. Whether the root is trusted or a certificate was revoked was not checked.
Evidence `npp.8.9.9.1.Installer.x64.exe @ Authenticode signer = NOTEPAD++`
Finding ID `92bedf861d0e53e6`

○ Info → Derived **Signing of the files inside**
There are 17 Windows executables; 8 are unsigned and the rest are signed by 1 distinct signer.
Evidence `npp.8.9.9.1.Installer.x64.exe = 17`
Finding ID `0d95f7b5ffd08b0c`

○ Info ✓ Verified **What it installs**
The installer lays down 128 files, 20859322 bytes in all. What it writes to the registry, the shortcuts it creates and the commands it runs are in the Capabilities chapter.
Evidence `npp.8.9.9.1.Installer.x64.exe = 128`
Finding ID `a7caad7ec722b77e`

○ Info ✓ Verified **Default install location**
It installs to $PROGRAMFILES\Notepad++ by default.
Evidence `npp.8.9.9.1.Installer.x64.exe @ install_dir = $PROGRAMFILES\Notepad++`
Finding ID `4d563992811b28bb`

○ Info → Derived **Findings that need attention**
There are 0 high, 2 medium and 28 low severity findings, and 184 neutral facts. Severity is fixed per rule and orders the reading; these counts are not a verdict on whether the input is safe.
Evidence `npp.8.9.9.1.Installer.x64.exe = 30`
Finding ID `96808a3d04f060c6`

Needs attention • 5 kinds / 30 findings

Every finding above "Info", grouped by rule. Each appears again in its own chapter.

● Low → Derived **Imports functions that can modify other processes**
1 file imports functions that can allocate or write memory, or start threads, in other processes. Debuggers, security tools and code injectors all use them; an import shows the capability only.
Evidence `npp.8.9.9.1.Installer.x64.exe/notepad++.exe @ import table = ["kernel32.dll!QueueUserAPC"]`
Finding ID `d2d2f3f0b67a96a3`

● Low ✓ Verified **Capabilities declared by the MSIX package**
The manifest declares these capabilities: runFullTrust, unvirtualizedResources. Of these, the ones that leave the sandbox or reach broadly: runFullTrust, unvirtualizedResources.
Evidence `npp.8.9.9.1.Installer.x64.exe/contextMenu/NppShell.msix/AppxManifest.xml @ Package/Capabilities = ["runFullTrust","unvirtualizedResources"]`
Finding ID `54cc15ce55f96ade`

◆ Medium × 2 • Verified **ASLR flag ineffective (relocations stripped)** 2 findings
DllCharacteristics has DYNAMIC_BASE set, but the file header says relocations were stripped. Without relocations the system cannot move the image, so ASLR does not actually apply.
The same holds 2 times, for `npp.8.9.9.1.Installer.x64.exe, …/uninstall.exe`

● Low × 16 • Verified **Control Flow Guard not enabled** 16 findings
DllCharacteristics does not have GUARD_CF set: targets of indirect calls are not checked. Many non-Microsoft toolchains do not support CFG.
The same holds 16 times, for `npp.8.9.9.1.Installer.x64.exe, …/InstallOptions.dll, …/LangDLL.dll, npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/System.dll, npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/UserInfo.dll, …/nsDialogs.dll, …/nsExec.dll, …/NppConverter.dll, …/mimeTools.dll, …/nppPluginList.dll, …/NppShell.dll, …/notepad++.exe, …/uninstall.exe, …/uninstall.exe/$PLUGINSDIR/System.dll, …/uninstall.exe/$PLUGINSDIR/UserInfo.dll, …/GUP.exe`

● Low × 10 • Heuristic **No stack cookie (/GS) found** 10 findings
The load configuration registers no security cookie (or there is no load configuration). The code may have been built without /GS; non-Microsoft toolchains usually register no cookie, so this proves little.
The same holds 10 times, for `npp.8.9.9.1.Installer.x64.exe, …/InstallOptions.dll, …/LangDLL.dll, npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/System.dll, npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/UserInfo.dll, …/nsDialogs.dll, …/nsExec.dll, …/uninstall.exe, …/uninstall.exe/$PLUGINSDIR/System.dll, …/uninstall.exe/$PLUGINSDIR/UserInfo.dll`

2 Identity • 6 kinds / 38 findings

○ Info × 17 • Verified **PE file** 17 findings
A Windows PE32 executable for i386, subsystem windows-gui.
The same holds 2 times, for `npp.8.9.9.1.Installer.x64.exe, …/uninstall.exe`
A Windows PE32 dll for i386, subsystem windows-gui.
The same holds 8 times, for `…/InstallOptions.dll, …/LangDLL.dll, npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/System.dll, npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/UserInfo.dll, …/nsDialogs.dll, …/nsExec.dll, …/uninstall.exe/$PLUGINSDIR/System.dll, …/uninstall.exe/$PLUGINSDIR/UserInfo.dll`
7 more of this kind are not listed here; report.html and report.json hold them all.

○ Info × 17 • Verified **PE header timestamp** 17 findings
The PE header timestamp field is 1776631127, which read as a time is 2026-04-19T20:38:47Z. The linker writes this field and anyone can change it; it does not prove when the file was built.
The same holds 10 times, for `npp.8.9.9.1.Installer.x64.exe, …/InstallOptions.dll, …/LangDLL.dll, npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/System.dll, npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/UserInfo.dll, …/nsDialogs.dll, …/nsExec.dll, …/uninstall.exe, …/uninstall.exe/$PLUGINSDIR/System.dll, …/uninstall.exe/$PLUGINSDIR/UserInfo.dll`
7 more of this kind are not listed here; report.html and report.json hold them all.

○ Info ✓ Verified **Version resource**

The version resource declares: ProductName=Notepad++; ProductVersion=8.991; FileDescription=Notepad++ : a free (GNU) source code editor; FileVersion=8.9.9.1; CompanyName=Don HO don.h@free.fr; LegalCopyright= Copyleft 1998-2026 by Don HO. This is self-declared information; anyone can write anything there.

Evidence `npp.8.9.9.1.Installer.x64.exe @ 188496+668 = {"CompanyName":"Don HO don.h@free.fr", "FileDescription":"Notepad++ : a free (GNU) source code editor","FileVersion":"8.9.9.1", "LegalCopyright":"Copyleft 1998-20…`

Finding ID `4a4e6200226facc1`

○ Info ✓ Verified **Installer**

This is a NSIS installer. It states: Product=Notepad++ v8.9.9.1; Version=8.9.9.1; Publisher=Notepad++ Team; InstallDir=$PROGRAMFILES\Notepad++; Format=NSIS V3, Unicode strings, Lzma compression (Solid).

Evidence `npp.8.9.9.1.Installer.x64.exe @ installer header = {"install_dir":"$PROGRAMFILES\\Notepad++", "product":"Notepad++ v8.9.9.1","publisher":"Notepad++ Team","version":"8.9.9.1"}`

Finding ID `017a4f740bd61393`

○ Info ✓ Verified **Uninstaller**

This is the uninstaller a NSIS installer leaves behind: Product=Notepad++ v8.9.9.1; Format=NSIS V3, Unicode strings, Lzma compression (Solid). Its script removes files and registry entries; the actions are listed in the fact windows.installer.

Evidence `npp.8.9.9.1.Installer.x64.exe/uninstall.exe @ installer header = {"install_dir":null,"product": "Notepad++ v8.9.9.1","publisher":null,"version":null}`

Finding ID `71a658987fa358b1`

○ Info ✓ Verified **MSIX package identity**

MSIX/APPX package Notepad++: identity NotepadPlusPlus, version 1.0.0.0, publisher E=don.h@free.fr, CN="NOTEPAD++", O="NOTEPAD++", L=Paris, S=Île-de-France, C=FR. The publisher must equal the subject of the package's signing certificate; Windows checks this at install time.

Evidence `npp.8.9.9.1.Installer.x64.exe/contextMenu/NppShell.msix/AppxManifest.xml @ Package/Identity = {"Name":"NotepadPlusPlus","Publisher":"E=don.h@free.fr, CN=\"NOTEPAD++\", O=\"NOTEPAD++\", L=Paris, S=Île-de-France, C=FR","Version":"1.0.0.0"}`

Finding ID `3117bb3824619fda`

3 Provenance and signing · 2 kinds / 2 findings

○ Info ✓ Verified **Code signatures (Authenticode)**

9 PE files are signed by "NOTEPAD++" (issuer: C=BE, O=GlobalSign nv-sa, CN=GlobalSign GCC R45 CodeSigning CA 2020; digest: SHA-256; 9 of them timestamped, by: Globalsign R45 TSA for CodeSign 202510). For each file the Authenticode hash was recomputed and compared with the signed digest, the signed-attribute digest was checked, the signature value was verified with the embedded certificate's public key, and each link of the embedded certificate chain was verified: 9 passed all of these. Not checked: whether Windows trusts the root certificate, revocation, and whether a certificate has expired today.

Evidence `npp.8.9.9.1.Installer.x64.exe @ 7036264+12272 = {"checks":{"chain":"passed","content_digest": "passed","file_digest":"passed","signature":"passed"},"serial":"05f0d813d6a6f004575a2099","signed_ digest":"82730997…`

Evidence `npp.8.9.9.1.Installer.x64.exe/$_24_/NppConverter/NppConverter.dll @ 196096+12272 = {"checks": {"chain":"passed","content_digest":"passed","file_digest":"passed","signature":"passed"},"serial": "05f0d813d6a6f004575a2099","signed_digest":"91304177…`

Evidence `npp.8.9.9.1.Installer.x64.exe/$_24_/NppExport/NppExport.dll @ 146944+12272 = {"checks":{"chain": "passed","content_digest":"passed","file_digest":"passed","signature":"passed"},"serial": "05f0d813d6a6f004575a2099","signed_digest":"f3a6d386…`

Evidence `npp.8.9.9.1.Installer.x64.exe/$_24_/mimeTools/mimeTools.dll @ 137728+12272 = {"checks":{"chain": "passed","content_digest":"passed","file_digest":"passed","signature":"passed"},"serial": "05f0d813d6a6f004575a2099","signed_digest":"ca4a7824…`

Evidence `npp.8.9.9.1.Installer.x64.exe/$_26_/nppPluginList.dll @ 249344+12272 = {"checks":{"chain": "passed","content_digest":"passed","file_digest":"passed","signature":"passed"},"serial": "05f0d813d6a6f004575a2099","signed_digest":"52ce4add…`

4 more pieces of evidence not shown here

Finding ID `63b9392aa1d3cfe1`

○ Info ✓ Verified **PE files without an embedded signature**
8 of 17 PE files carry no embedded Authenticode signature. Files that ship with Windows may be catalog-signed instead; a catalog signature is not stored in the file and cannot be seen here.
Evidence `npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/InstallOptions.dll @ certificate table = null`
Evidence `npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/LangDLL.dll @ certificate table = null`
Evidence `npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/System.dll @ certificate table = null`
Evidence `npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/UserInfo.dll @ certificate table = null`
Evidence `npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nsDialogs.dll @ certificate table = null`
3 more pieces of evidence not shown here
Finding ID `6a2289dbc689e55a`

4 Structure • 7 kinds / 9 findings

○ Info × 2 • Verified **Overlay data** 2 findings
`npp.8.9.9.1.Installer.x64.exe`
6845800 bytes follow the last section (at offset 190464) and belong to no section. Installers and self-extractors usually keep their payload there; the PE headers do not describe it.
`…/uninstall.exe`
77544 bytes follow the last section (at offset 190464) and belong to no section. Installers and self-extractors usually keep their payload there; the PE headers do not describe it.

○ Info × 2 • Verified **The NSIS script is a reconstruction** 2 findings
"[NSIS script].txt" is not a file stored in the installer: it is the installer's script bytecode rendered as text, entry by entry, for reading and for URL extraction.
The same holds 2 times, for `npp.8.9.9.1.Installer.x64.exe/[NSIS script].txt, …/uninstall.exe/[NSIS script].txt`

○ Info ✓ Verified **What gets installed**
The installer installs 128 files (20859322 bytes in total), writes 432 registry values and creates 2 shortcuts. These are all the actions the script or tables list; conditional ones (optional components, per-OS branches) are included.
Evidence `npp.8.9.9.1.Installer.x64.exe @ installer file list = {"bytes":20859322,"files":128}`
Finding ID `528d3c5606f9c283`

○ Info → Derived **Size**
267 files, 29472210 bytes in all. The input itself holds 1 file (7048536 bytes); a further 269 files (29812673 bytes) were unpacked from 3 containers, nested up to 2 deep.
Evidence `npp.8.9.9.1.Installer.x64.exe = 1`
Finding ID `9538c4ab93895ea9`

○ Info → Derived **Size by type**
The largest type is text/xml: 231 files, 16905708 bytes, 57.4% of all content. The full breakdown is in the summary data structure.by_type.
Evidence `npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/gupLocalization/bulgarian.xml = text/xml`
Finding ID `5d8cb30e8024bde4`

○ Info ✓ Verified **Largest file**
The largest file is npp.8.9.9.1.Installer.x64.exe/notepad++.exe (8594928 bytes). The top 25 are in the summary data structure.largest.
Evidence `npp.8.9.9.1.Installer.x64.exe/notepad++.exe = 8594928`
Finding ID `3ad045d24ef14e33`

○ Info ✓ Verified **Identical files**
5 groups of files have identical content (same SHA-256); the repeated copies add up to 178010 bytes.
Evidence `npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/english.xml = 1744cdf5d9fc0ad0b5ba177b1223e44145874e7fe9974ddfccc204a2f45bfc72`
Evidence `npp.8.9.9.1.Installer.x64.exe/localization/english.xml = 1744cdf5d9fc0ad0b5ba177b1223e44145874e7fe9974ddfccc204a2f45bfc72`
Finding ID `a4835e6b6a37ab1a`

5 Technology and composition • 4 kinds / 36 findings

○ Info × 17 • Verified **Linked libraries** 17 findings

Linked libraries (7): ADVAPI32.dll, SHELL32.dll, ole32.dll, COMCTL32.dll, USER32.dll, GDI32.dll, KERNEL32.dll. The full list is in the fact binary.libraries.

The same holds 2 times, for `npp.8.9.9.1.Installer.x64.exe, …/uninstall.exe`

Linked libraries (6): KERNEL32.dll, USER32.dll, GDI32.dll, SHELL32.dll, comdlg32.dll, ole32.dll. The full list is in the fact binary.libraries.

The same holds 2 times, for `…/InstallOptions.dll, …/nsDialogs.dll`
`…/LangDLL.dll`

Linked libraries (3): KERNEL32.dll, USER32.dll, GDI32.dll. The full list is in the fact binary.libraries.

Linked libraries (3): KERNEL32.dll, USER32.dll, ole32.dll. The full list is in the fact binary.libraries.

The same holds 2 times, for `npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/System.dll, …/uninstall.exe/$PLUGINSDIR/System.dll`

Linked libraries (2): ADVAPI32.dll, KERNEL32.dll. The full list is in the fact binary.libraries.

The same holds 2 times, for `npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/UserInfo.dll, …/uninstall.exe/$PLUGINSDIR/UserInfo.dll`
`…/nsExec.dll`

Linked libraries (3): ADVAPI32.dll, USER32.dll, KERNEL32.dll. The full list is in the fact binary.libraries.

7 more of this kind are not listed here; report.html and report.json hold them all.

○ Info × 17 • Derived **Rich header (Microsoft toolchain)** 17 findings

The file has a Rich header with 5 tool records, and the linker version field is 6.0. Microsoft's linker writes this header, so the file was linked with the Microsoft toolchain (MSVC); the header is not protected and can be forged.

The same holds 4 times, for `npp.8.9.9.1.Installer.x64.exe, …/LangDLL.dll, …/nsDialogs.dll, …/uninstall.exe`

The file has a Rich header with 6 tool records, and the linker version field is 6.0. Microsoft's linker writes this header, so the file was linked with the Microsoft toolchain (MSVC); the header is not protected and can be forged.

The same holds 3 times, for `…/InstallOptions.dll, npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/System.dll, …/uninstall.exe/$PLUGINSDIR/System.dll`

The file has a Rich header with 4 tool records, and the linker version field is 6.0. Microsoft's linker writes this header, so the file was linked with the Microsoft toolchain (MSVC); the header is not protected and can be forged.

The same holds 3 times, for `npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/UserInfo.dll, …/nsExec.dll, …/uninstall.exe/$PLUGINSDIR/UserInfo.dll`

7 more of this kind are not listed here; report.html and report.json hold them all.

○ Info ✓ Verified **Vendors of the components**

9 PE files carry a version resource, naming 3 vendors: Don HO don.h@free.fr (6), Bjarke I. Pedersen gurli@gurlinet.dk (1), Notepad++ Community (1). This is self-declared; for who signed the files see the signature findings.

Evidence `npp.8.9.9.1.Installer.x64.exe @ VS_VERSIONINFO/CompanyName = Don HO don.h@free.fr`
Evidence `npp.8.9.9.1.Installer.x64.exe/contextMenu/NppShell.dll @ VS_VERSIONINFO/CompanyName = Bjarke I. Pedersen gurli@gurlinet.dk`
Evidence `npp.8.9.9.1.Installer.x64.exe/$_26_/nppPluginList.dll @ VS_VERSIONINFO/CompanyName = Notepad++ Community`
Finding ID `a4fda5c1e76034ad`

○ Info ≈ Heuristic **Runtime or framework**

The folder contains files characteristic of an uninstaller program (1 file). This is judged by file name, and names can be chosen freely.

Evidence `npp.8.9.9.1.Installer.x64.exe/uninstall.exe = uninstall.exe`
Finding ID `3ff2fb00b4a4f5c5`

6 Permissions and capabilities • 12 kinds / 13 findings

Low → Derived **Imports functions that can modify other processes**
1 file imports functions that can allocate or write memory, or start threads, in other processes. Debuggers, security tools and code injectors all use them; an import shows the capability only.
Evidence `npp.8.9.9.1.Installer.x64.exe/notepad++.exe @ import table = ["kernel32.dll!QueueUserAPC"]`
Finding ID `d2d2f3f0b67a96a3`

Low ✓ Verified **Capabilities declared by the MSIX package**
The manifest declares these capabilities: runFullTrust, unvirtualizedResources. Of these, the ones that leave the sandbox or reach broadly: runFullTrust, unvirtualizedResources.
Evidence `npp.8.9.9.1.Installer.x64.exe/contextMenu/NppShell.msix/AppxManifest.xml @ Package/Capabilities = ["runFullTrust","unvirtualizedResources"]`
Finding ID `54cc15ce55f96ade`

Info × 2 • Verified **Manifest requests elevation** 2 findings
The application manifest sets requestedExecutionLevel to requireAdministrator: the program asks for administrator rights when started (UAC prompt).
The same holds 2 times, for `npp.8.9.9.1.Installer.x64.exe, …/uninstall.exe`

Info → Derived **Imports functions that can use the network**
2 files import functions that can communicate over the network (sockets, HTTP, downloads). An import shows the capability; it does not show the function is ever called.
Evidence `npp.8.9.9.1.Installer.x64.exe/notepad++.exe @ import table = ["wininet.dll (1 imports)"]`
Evidence `npp.8.9.9.1.Installer.x64.exe/updater/GUP.exe @ import table = ["ws2_32.dll (34 imports)","ws2_32.dll!getaddrinfo"]`
Finding ID `40a13f95d7d57c3f`

Info → Derived **Imports functions that can encrypt and decrypt**
2 files import functions that can encrypt, decrypt, hash, or access certificate stores. An import shows the capability only.
Evidence `npp.8.9.9.1.Installer.x64.exe/notepad++.exe @ import table = ["advapi32.dll!CryptAcquireContextW","advapi32.dll!CryptCreateHash","advapi32.dll!CryptHashData","bcrypt.dll!BCryptCreateHash","bcrypt.dll!BCryptHashData","bcry…`
Evidence `npp.8.9.9.1.Installer.x64.exe/updater/GUP.exe @ import table = ["advapi32.dll!CryptAcquireContextA","advapi32.dll!CryptCreateHash","advapi32.dll!CryptEncrypt","advapi32.dll!CryptHashData","advapi32.dll!CryptImportKey","cryp…`
Finding ID `a2c8ca06ee62a182`

Info → Derived **Imports functions that can set up persistence**
5 files import functions that can create services or scheduled tasks, or schedule file operations for the next boot. An import shows the capability only.
Evidence `npp.8.9.9.1.Installer.x64.exe @ import table = ["kernel32.dll!MoveFileExW"]`
Evidence `npp.8.9.9.1.Installer.x64.exe/contextMenu/NppShell.dll @ import table = ["kernel32.dll!MoveFileExW"]`
Evidence `npp.8.9.9.1.Installer.x64.exe/notepad++.exe @ import table = ["kernel32.dll!MoveFileExW","kernel32.dll!RegisterApplicationRestart"]`
Evidence `npp.8.9.9.1.Installer.x64.exe/uninstall.exe @ import table = ["kernel32.dll!MoveFileExW"]`
Evidence `npp.8.9.9.1.Installer.x64.exe/updater/GUP.exe @ import table = ["kernel32.dll!MoveFileExA","kernel32.dll!MoveFileExW"]`
Finding ID `1e7d9ac8be2be2cb`

Info → Derived **Imports functions that can capture or simulate input**
3 files import functions that can read key state, install input hooks, simulate keyboard and mouse, or read the clipboard. Hotkeys, accessibility and remote-control software use them; an import shows the capability only.
Evidence `npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/InstallOptions.dll @ import table = ["user32.dll!GetClipboardData"]`
Evidence `npp.8.9.9.1.Installer.x64.exe/notepad++.exe @ import table = ["user32.dll!GetClipboardData","user32.dll!GetKeyboardState","user32.dll!SetWindowsHookExW","user32.dll!mouse_event"]`
Evidence `npp.8.9.9.1.Installer.x64.exe/updater/GUP.exe @ import table = ["user32.dll!SetWindowsHookExW"]`
Finding ID `72f0a9a84524dd24`

○ Info → Derived **Imports functions that can change privileges**

5 files import functions that can adjust process privileges or duplicate and impersonate access tokens. An import shows the capability only.

Evidence `npp.8.9.9.1.Installer.x64.exe @ import table = ["advapi32.dll!AdjustTokenPrivileges","advapi32.dll!LookupPrivilegeValueW","advapi32.dll!OpenProcessToken"]`
Evidence `npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/UserInfo.dll @ import table = ["advapi32.dll!OpenProcessToken","advapi32.dll!OpenThreadToken"]`
Evidence `npp.8.9.9.1.Installer.x64.exe/notepad++.exe @ import table = ["advapi32.dll!OpenProcessToken"]`
Evidence `npp.8.9.9.1.Installer.x64.exe/uninstall.exe @ import table = ["advapi32.dll!AdjustTokenPrivileges","advapi32.dll!LookupPrivilegeValueW","advapi32.dll!OpenProcessToken"]`
Evidence `npp.8.9.9.1.Installer.x64.exe/uninstall.exe/$PLUGINSDIR/UserInfo.dll @ import table = ["advapi32.dll!OpenProcessToken","advapi32.dll!OpenThreadToken"]`
Finding ID `eb05db55eb8e1bce`

○ Info ✓ Verified **Installation needs administrator rights**

The installer declares that it needs administrator rights (a per-machine installation).

Evidence `npp.8.9.9.1.Installer.x64.exe @ manifest: requestedExecutionLevel = true`
Finding ID `3fcd91ccf9752797`

○ Info ✓ Verified **Commands run during installation**

The install script runs 14 commands, listed in the evidence. Variables in them (such as $INSTDIR or [INSTALLDIR]) get their value at install time.

Evidence `npp.8.9.9.1.Installer.x64.exe @ script entry 64 = "$WINDIR\explorer.exe" "$INSTDIR\notepad++.exe"`
Evidence `npp.8.9.9.1.Installer.x64.exe @ script entry 80 = "$INSTDIR\notepad++.exe" "$INSTDIR\change.log"`
Evidence `npp.8.9.9.1.Installer.x64.exe @ script entry 213 = open https://notepad-plus-plus.org/downloads/v7.9.2/`
Evidence `npp.8.9.9.1.Installer.x64.exe @ script entry 217 = open https://notepad-plus-plus.org/downloads/v7.9.2/`
Evidence `npp.8.9.9.1.Installer.x64.exe @ script entry 1198 = "$_2_\regsvr32.exe" /u /s "$INSTDIR\nppcm.dll"`
7 more pieces of evidence not shown here
Finding ID `3d8424232871faa0`

○ Info → Derived **Registers an uninstall entry**

The installer registers an entry under "Programs and Features" (423 registry values).

Evidence `npp.8.9.9.1.Installer.x64.exe @ script entry 222 = {"key":"Software\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Notepad++","name":"DisplayName","root":"HKLM","value":"Notepad++ (64-bit x64)"}`
Evidence `npp.8.9.9.1.Installer.x64.exe @ script entry 223 = {"key":"Software\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Notepad++","name":"Publisher","root":"HKLM","value":"Notepad++ Team"}`
Evidence `npp.8.9.9.1.Installer.x64.exe @ script entry 224 = {"key":"Software\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Notepad++","name":"MajorVersion","root":"HKLM","value":"8"}`
Evidence `npp.8.9.9.1.Installer.x64.exe @ script entry 225 = {"key":"Software\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Notepad++","name":"MinorVersion","root":"HKLM","value":"991"}`
Evidence `npp.8.9.9.1.Installer.x64.exe @ script entry 226 = {"key":"Software\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Notepad++","name":"UninstallString","root":"HKLM","value":"\"$INSTDIR\\uninstall.exe\""}`
7 more pieces of evidence not shown here
Finding ID `9d654ff6dc7250ac`

○ Info ✓ Verified **MSIX entry points and extensions**

The manifest declares 1 application entry point and 2 extensions (protocols, file types, startup tasks, services and the like; see the evidence).

Evidence `npp.8.9.9.1.Installer.x64.exe/contextMenu/NppShell.msix/AppxManifest.xml @ Package/Applications = {"applications":[{"entry_point":null,"executable":"notepad++.exe","id":"NotepadPlusPlus"}],"extensions":[{"category":"windows.fileExplorerContextMenus","detail"…`
Finding ID `81b54493c76fe681`

7 Hardening • 10 kinds / 86 findings

◆ Medium × 2 • Verified **ASLR flag ineffective (relocations stripped)** 2 findings

DllCharacteristics has DYNAMIC_BASE set, but the file header says relocations were stripped. Without relocations the system cannot move the image, so ASLR does not actually apply.

The same holds 2 times, for `npp.8.9.9.1.Installer.x64.exe, …/uninstall.exe`

● Low × 16 • Verified **Control Flow Guard not enabled** 16 findings

DllCharacteristics does not have GUARD_CF set: targets of indirect calls are not checked. Many non-Microsoft toolchains do not support CFG.

The same holds 16 times, for `npp.8.9.9.1.Installer.x64.exe`, `…/InstallOptions.dll`, `…/LangDLL.dll`, `npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/System.dll`, `npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/UserInfo.dll`, `…/nsDialogs.dll`, `…/nsExec.dll`, `…/NppConverter.dll`, `…/mimeTools.dll`, `…/nppPluginList.dll`, `…/NppShell.dll`, `…/notepad++.exe`, `…/uninstall.exe`, `…/uninstall.exe/$PLUGINSDIR/System.dll`, `…/uninstall.exe/$PLUGINSDIR/UserInfo.dll`, `…/GUP.exe`

● Low × 10 • Heuristic **No stack cookie (/GS) found** 10 findings

The load configuration registers no security cookie (or there is no load configuration). The code may have been built without /GS; non-Microsoft toolchains usually register no cookie, so this proves little.

The same holds 10 times, for `npp.8.9.9.1.Installer.x64.exe`, `…/InstallOptions.dll`, `…/LangDLL.dll`, `npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/System.dll`, `npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/UserInfo.dll`, `…/nsDialogs.dll`, `…/nsExec.dll`, `…/uninstall.exe`, `…/uninstall.exe/$PLUGINSDIR/System.dll`, `…/uninstall.exe/$PLUGINSDIR/UserInfo.dll`

○ Info × 15 • Verified **ASLR enabled** 15 findings

DllCharacteristics has DYNAMIC_BASE set: the system can randomise where the image is loaded.

The same holds 15 times, for `…/InstallOptions.dll`, `…/LangDLL.dll`, `npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/System.dll`, `npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/UserInfo.dll`, `…/nsDialogs.dll`, `…/nsExec.dll`, `…/NppConverter.dll`, `…/NppExport.dll`, `…/mimeTools.dll`, `…/nppPluginList.dll` …

5 more of this kind are not listed here; report.html and report.json hold them all.

○ Info × 7 • Verified **High-entropy ASLR enabled** 7 findings

DllCharacteristics has HIGH_ENTROPY_VA set: the full 64-bit address space can be used for randomisation.

The same holds 7 times, for `…/NppConverter.dll`, `…/NppExport.dll`, `…/mimeTools.dll`, `…/nppPluginList.dll`, `…/NppShell.dll`, `…/notepad++.exe`, `…/GUP.exe`

○ Info × 17 • Verified **DEP (NX) enabled** 17 findings

DllCharacteristics has NX_COMPAT set: data pages are not executable.

The same holds 17 times, for `npp.8.9.9.1.Installer.x64.exe`, `…/InstallOptions.dll`, `…/LangDLL.dll`, `npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/System.dll`, `npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/UserInfo.dll`, `…/nsDialogs.dll`, `…/nsExec.dll`, `…/NppConverter.dll`, `…/NppExport.dll`, `…/mimeTools.dll` …

7 more of this kind are not listed here; report.html and report.json hold them all.

○ Info ✓ Verified **Control Flow Guard enabled**

DllCharacteristics has GUARD_CF set: targets of indirect calls are checked at run time.

Evidence `npp.8.9.9.1.Installer.x64.exe/$_24_/NppExport/NppExport.dll @ 358+2 = DllCharacteristics = 0x4160`

Finding ID `18b977d12d725f93`

○ Info × 7 • Derived **Stack cookie (/GS)** 7 findings

The load configuration registers the address of a security cookie, so the code was built with /GS (stack-overflow detection). A cookie does not mean every function is protected.

The same holds 7 times, for `…/NppConverter.dll`, `…/NppExport.dll`, `…/mimeTools.dll`, `…/nppPluginList.dll`, `…/NppShell.dll`, `…/notepad++.exe`, `…/GUP.exe`

○ Info × 10 • Verified **No structured exception handling** 10 findings

DllCharacteristics has NO_SEH set: the image declares that it uses no structured exception handling, so SafeSEH does not apply.

The same holds 10 times, for `npp.8.9.9.1.Installer.x64.exe`, `…/InstallOptions.dll`, `…/LangDLL.dll`, `npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/System.dll`, `npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/UserInfo.dll`, `…/nsDialogs.dll`, `…/nsExec.dll`, `…/uninstall.exe`, `…/uninstall.exe/$PLUGINSDIR/System.dll`, `…/uninstall.exe/$PLUGINSDIR/UserInfo.dll`

○ Info ✓ Verified **CET shadow stack compatible**
The debug directory marks the image as CET shadow-stack compatible (CET_COMPAT): on processors that support it, return addresses are protected by hardware.
Evidence `npp.8.9.9.1.Installer.x64.exe/$_24_/NppExport/NppExport.dll @ 126732+4 = IMAGE_DLLCHARACTERISTICS_EX_CET_COMPAT`
Finding ID `444f0ad4bd646091`

8 Network and endpoints • 1 kind / 1 finding

○ Info ✓ Verified **Hosts mentioned in the files**
583 distinct URLs pointing at 64 hosts were found in 173 files. These are addresses written in the files; the program does not necessarily contact them.
Evidence `npp.8.9.9.1.Installer.x64.exe/themes/Vibrant Ink.xml = alternateidea.com`
Evidence `npp.8.9.9.1.Installer.x64.exe/$_26_/nppPluginList.dll = architectshack.com`
Evidence `npp.8.9.9.1.Installer.x64.exe/$_26_/nppPluginList.dll = ashkulz.github.io`
Evidence `npp.8.9.9.1.Installer.x64.exe/functionList/perl.xml = community.notepad-plus-plus.org`
Evidence `npp.8.9.9.1.Installer.x64.exe/$_24_/NppConverter/NppConverter.dll = crl.globalsign.com`
5 more pieces of evidence not shown here
Finding ID `914f0b46404ee483`

9 Secrets

No findings in this chapter. This means no enabled check matched, not that nothing of the kind exists.

10 Privacy

No findings in this chapter. This means no enabled check matched, not that nothing of the kind exists.

11 Code insight • 2 kinds / 19 findings

○ Info × 17 • Verified **Imported and exported symbols** 17 findings
Imported symbols: 163; exported symbols: 0. The lists are in the facts binary.imports and binary.exports.
The same holds 2 times, for `npp.8.9.9.1.Installer.x64.exe, …/uninstall.exe`
`…/InstallOptions.dll`
Imported symbols: 80; exported symbols: 4. The lists are in the facts binary.imports and binary.exports.
`…/LangDLL.dll`
Imported symbols: 20; exported symbols: 1. The lists are in the facts binary.imports and binary.exports.
Imported symbols: 19; exported symbols: 8. The lists are in the facts binary.imports and binary.exports.
The same holds 2 times, for `npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/System.dll, …/uninstall.exe/$PLUGINSDIR/System.dll`
Imported symbols: 17; exported symbols: 3. The lists are in the facts binary.imports and binary.exports.
The same holds 2 times, for `npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/UserInfo.dll, …/uninstall.exe/$PLUGINSDIR/UserInfo.dll`
`…/nsDialogs.dll`
Imported symbols: 54; exported symbols: 15. The lists are in the facts binary.imports and binary.exports.
`…/nsExec.dll`
Imported symbols: 44; exported symbols: 3. The lists are in the facts binary.imports and binary.exports.
7 more of this kind are not listed here; report.html and report.json hold them all.

○ Info × 2 • Verified **Referenced debug database (PDB)** 2 findings
`…/nppPluginList.dll`
The debug directory refers to the PDB file C:\sources\nppPluginList\bin64\nppPluginList.pdb (GUID 01E574B5-5F26-42C3-9CD8-9A4DA940685E, age 1). The path comes from the build machine and may reveal its directory layout or a user name.

…/NppShell.dll
The debug directory refers to the PDB file C:\sources\nppShell\x64\Release\NppShell.x64.pdb (GUID 2E98A90C-1A52-4531-9AC2-F07444617ADB, age 1). The path comes from the build machine and may reveal its directory layout or a user name.

12 Anomalies · 2 kinds / 2 findings

○ Info ≈ Heuristic **Unrecognised high-entropy data**
The file type is not recognised and its entropy is 7.6416 (of 8). Data like this is usually compressed, encrypted or packed; what it holds cannot be told.
Evidence `npp.8.9.9.1.Installer.x64.exe/contextMenu/NppShell.msix/AppxSignature.p7x = 7.6416`
Finding ID `812c90d3b43ad371`

○ Info ≈ Heuristic **File names differ from the recorded original names**
1 file is named differently from the original file name their version resource records (see the evidence). Renaming is common (installers, per-architecture copies) but is also how system tools are disguised, so judge it in context.
Evidence `npp.8.9.9.1.Installer.x64.exe/$_24_/mimeTools/mimeTools.dll @ 133872+768 = {"actual":"mimeTools.dll","original_filename":"base64.dll"}`
Finding ID `a89978cc4d5b1bf4`

13 File inventory

Path	Size (bytes)	Type	Entropy	SHA-256
npp.8.9.9.1.Installer.x64.exe	7048536	pe (application/vnd.microsoft.portable-executable) · unpacked by nsis	7.9904	ce3267f5c4e7e42f847e00f4b20234da6150647203033cdde34a69593efc3152
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/InstallOptions.dll	15872	pe (application/vnd.microsoft.portable-executable)	5.4716	dd0d1a8c4511261333e90a94d9912000592c46731b615aa7a37cd2b3eb6a8d58
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/LangDLL.dll	5632	pe (application/vnd.microsoft.portable-executable)	3.8177	760df89c2341f9c39c0250c283cb9caad185244fd6b76e8157cdf49928dc1d8e
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/System.dll	12288	pe (application/vnd.microsoft.portable-executable)	5.8058	996645d7f16a6294babb6da83478062aed7b72318d7a51b66e90ab5d3edc51a5
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/UserInfo.dll	4096	pe (application/vnd.microsoft.portable-executable)	3.3413	0893c4d31c7d9c2106eea64f10d6b17a00b742727662a883c39990bcee6a7d15
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/gupLocalization/bulgarian.xml	3096	text/xml	5.6749	d4d64776a751931f7c465f6c13b1b4dea6f27dda06ae90e34127edf8a33ebda2
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/gupLocalization/catalan.xml	1418	text/xml	5.2886	f8d007309e59318c637897296af82a3f49cde999ed10df42ee91170bcf1833f5
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/gupLocalization/corsican.xml	2786	text/xml	5.4867	123e1530464b691c1b5c887676f704994bb13a2779c94969a4e8817891c85e56
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/gupLocalization/croatian.xml	2381	text/xml	5.5065	404189c6ea9bb06e036f89df6fa53cd66530b5879bd5e3092015fb46a1aa33e0
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/gupLocalization/czech.xml	2453	text/xml	5.5989	6fa0e6a15ebc8e602c6c184c8a650e48b1691db29752a6b7c34ad772a76fba6d
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/gupLocalization/english.xml	2218	text/xml	5.3741	87662ee483fae9725fa253538c0da2c2fd862dcab5140afc769bdc8155d61aaf
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/gupLocalization/french.xml	2411	text/xml	5.5222	fb77ab5b40ad2b639542d1eeac06855534922c62323b29120d151c3c5ea69706
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/gupLocalization/galician.xml	2280	text/xml	5.4851	759db6548e616df97fc30f3bd186db57196c53359f0ad30cbc063764a90f75e3
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/gupLocalization/german.xml	2382	text/xml	5.4317	2af71008e23461a95ab77280e98ffcfe5815d5cda9c85038edf3f6121bcd77f1

Path	Size (bytes)	Type	Entropy	SHA-256
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/gupLocalization/indonesian.xml	2043	text/xml	5.3835	a619c8328280d5b434c00f11b83c0a557a316cc9cb2616264aec6061e9121649
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/gupLocalization/italian.xml	2279	text/xml	5.3962	2968e841018fdb4a943c1546f35646edc13fedacbfa75eb2957c0f5bac974c05
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/gupLocalization/japanese.xml	2584	text/xml	6.0900	8cdeed3b3da55d4bf3433b23afa772a3242a16c3a139bcaa849f792a67d80bdd
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/gupLocalization/norwegian.xml	2377	text/xml	5.4525	7a020ab42187d58b3378cca67be82247b2dcd3a877d643c4e35b5a61d4e6f7c1
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/gupLocalization/portuguese.xml	2356	text/xml	5.4757	84501d9d93f9ed168f203ca47e33634ad1aad7158feedfa4eca1fabc9bd11732
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/gupLocalization/russian.xml	2719	text/xml	5.7385	6a7e028ae7cf0b9ed7b56f9241ea0143f917f526545b14f0027f353238420b3a
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/gupLocalization/serbian.xml	2339	text/xml	5.4799	ab43f8c5f4d0929505d7472fe6564060fc13303824a6a629e94ded0d8df194a3
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/gupLocalization/serbianCyrillic.xml	2778	text/xml	5.7264	35efb5077e915c2e5056684a4aab400a7186e160da2005be192eeef9c3d689e4
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/gupLocalization/slovak.xml	2097	text/xml	5.5390	5458275a3deec52075eb36c1b7c92292f7caaeb59c320518a4db4d19ed4dae55
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/gupLocalization/spanish.xml	2308	text/xml	5.4674	7c7e2383453c886421433bd5b006fef4515437382e7eeb5450c2bd692ad221c3
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/gupLocalization/swedish.xml	2377	text/xml	5.4411	ef55291ee13f5098d74689f02452590bb29178c402c922677efca87f821e087a
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/gupLocalization/taiwaneseMandarin.xml	2161	text/xml	6.2045	a4d6bd9870b11664b6681a0d1ebac88640b453644ffa50155c149c993990d66b
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/gupLocalization/vietnamese.xml	1488	text/xml	5.5941	cfa10479be9fa34c0d67aad90294e79cf20cc02325cbafb99c14356aefe975e3
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/ioSpecial.ini	211	text/plain	4.9222	d95aed234f932a1c48a2b1b0d98c60ca31f962310c03158e2884ab4ddd3ea1e0
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/modern-header.bmp	26270	image/bmp	7.6781	e6c5be8aba1f657fe77e8c9bbfac3536a69530aa5c1411cc3d6c235373203a46
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/modern-header.bmp (2)	26272	image/bmp	7.6781	bb90d4338d2474138473e6b16e94b0237ee847bea45019ed0dd4439c71bd233e
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/modern-wizard.bmp	154544	image/bmp	7.7009	2125550c12fa512782f2016e802d70bc51f4a06017cfbd4176b4a994eb2542f0
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/abkhazian.xml	108813	text/xml	5.4915	3109918d0d2a55bb78cb01b1336e08cf8a14fa8bcad18b5ac6791ad2451b69c2
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/afrikaans.xml	23000	text/xml	5.0420	a2f3c4995f3057d77c6188350ee02516cb2099437c3a2b0aa7c3221ba0d2f01f
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/albanian.xml	43947	text/xml	5.1639	e96b9b2b20db64793801e613e8fb0a5745ffaa1c7d46e16209a627052f1a48fa
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/arabic.xml	76257	text/xml	5.4052	942a2a0daec0bb82164183da8d19f7604e231620727df79a9d902ef2614a74d9
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/aragonese.xml	43427	text/xml	5.1813	2426ca1150a0d624dd407737274ec173c0d0b3184f293271d7965a9eae45b668
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/aranese.xml	16393	text/xml	5.1347	516a681a7c4fd0399b316ad967ea8643029c54e81a2e92da7ecb3d3ef79f44de
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/azerbaijani.xml	108274	text/xml	5.5291	6b2a8544dec166a7605450b5c628ca50eebf0348bc5c227ae06b270b53505a00
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/basque.xml	86271	text/xml	5.1628	0443eca52a2065894eabfdd3c2501b47af3c931f99d0dfd6d0e25028fc9c82ba
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/belarusian.xml	114930	text/xml	5.4591	1646cf8f604f45e0a7c59eb42a5d199f86308326f40318de3ae892fffd56ed39
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/bengali.xml	57849	text/xml	5.1357	c780f5d70b61941f8bf18b2c40d05e970906a53ae20ff7b5fd85ffe314df7090
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/bosnian.xml	26853	text/xml	5.1172	88ce80f7f1049564c1a0e5bcba6a7bcba9a30e10c51791d32cc6d2d9850ecbe4
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/brazilian_portuguese.xml	117543	text/xml	5.2630	664288d74feecafd4e963ccd17ba08bf09da6565407a620e1adecbfe28cd8bda
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/breton.xml	66406	text/xml	5.2303	0f26528db74f5abd5de0802b34d03ce13774bc8cae978b74f96f10a708d4c447
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/bulgarian.xml	162489	text/xml	5.2605	41da4011f7a74fb8528625da5c56d49ede6ecc8562ab9fea029599a4a6203586

Path	Size (bytes)	Type	Entropy	SHA-256
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/catalan.xml	67957	text/xml	5.2137	7999f96e74eb382b2e0ae2c724080fb341e12edcfe67f2bfc96f88392648c285
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/chineseSimplified.xml	109095	text/xml	6.2321	b4cba64ea065464008e37566cf733cbb52e202f5996b634469428f75f39b398b
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/corsican.xml	129257	text/xml	5.2983	ec41fe1b008c82ec10b96c2c4312807b4cf7e80c93a15d2bc71198951c6c655c
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/croatian.xml	119755	text/xml	5.2961	1794044aca9045a1be2ec4049cb4bedbf71eb9a2032ab352b8dcdfadbee85284
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/czech.xml	121986	text/xml	5.5268	63d52a6953119b7340e71abf28b368afb304fab8203e9a71805febde7c180932
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/danish.xml	83831	text/xml	5.2488	d68c0a669a4323081f06f94e6d87f7d5129c8f646265015678315eb705f79e29
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/dutch.xml	116852	text/xml	5.1803	42312bcd12c3c9c6269dbb00629821ece415463fa79d633c6c9cc14e1da65f7c
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/english.xml	109084	text/xml	5.2429	1744cdf5d9fc0ad0b5ba177b1223e44145874e7fe9974ddfccc204a2f45bfc72
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/english_customizable.xml	109022	text/xml	5.2431	2bc34625c3be6c2cf5cccf1d9a46169236b8d97f69d6831164ecb744063a6b10
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/esperanto.xml	47060	text/xml	5.1648	34fefc8334b86d2540e68348538d84a3376acf843548139dbb40ee6869937a94
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/estonian.xml	46855	text/xml	5.1249	5b539a8e5a0ae26f75ba2357d3820bc759acba9aff37e1dbfe593fcee51967f1
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/extremaduran.xml	20065	text/xml	5.0978	a7b188362e4bf9d61095361b1ff381273c0ea982f4ca582e8205850c544ee98f
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/farsi.xml	52740	text/xml	5.3718	a8404a810e861924c8dd56b94534dc895f8c90dc621a328ba2c20d7e0e63d6b2
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/finnish.xml	84805	text/xml	5.1988	b8a817e80a9586b32e5e76f84636d3daff89b5430645e3ded89f155635f59ff8
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/french.xml	122556	text/xml	5.2395	7bd00f2d43f7700524d2a11ba643909229d87255b8aa43b27a0a7bc6ca7e52ef
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/friulian.xml	27306	text/xml	5.0848	a48f66afad848e638f499910ad5f05323d4ca36b9d99d2dd6964db0e0b60a936
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/galician.xml	117137	text/xml	5.2189	548f64ce0f9bd18f5db5ad3177394391d153ce62d4cb72ff5bcda68de34896f1
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/georgian.xml	50148	text/xml	4.8028	3edc83d45a610f37f89ab1242cf4e54fc074bd1b3d64543934dd02cb50ee4a58
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/german.xml	118979	text/xml	5.3044	712b7dc46abe867f200826a409c9c94c5aa905839370235a45f1ad656b02b17f
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/greek.xml	99482	text/xml	5.5601	eac501f960b06f4edadb96bfb24c2f8a0c96665738eb39c6c0583e16bd9e98e9
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/gujarati.xml	57624	text/xml	5.1356	e1aa874ead56e446a1e779c1ac1c19d6d17426db971c5c1afd2b8ff8cddda75a
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/hebrew.xml	20952	text/xml	5.1039	f4ec1347cf2db910202551fb37b8600ef164e52026aece20da7451f66f73df01
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/hindi.xml	96526	text/xml	5.1191	e7eeb82d39741a32fa73ff0ec0f581e895a4a74b96ef3c0806749afdf3a70d57
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/hongKongCantonese.xml	117259	text/xml	6.2361	59caedd4d3d20ab7bd0aef5f1d5b3b863a5e2c07770a82571200ed8394dff4fa
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/hungarian.xml	130723	text/xml	5.4971	f1c49b28846b899f9413078191bca8653e08af048b3a05d9e5428ee1a87dae08
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/indonesian.xml	90386	text/xml	5.2093	f5c886aa97f9fb92672f03203bb6cfbf3bb13e081ae666d743016cdc06891a3b
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/irish.xml	67426	text/xml	5.2331	7bad3074027ed9b99f3bffec3c12ec019468eba80f362e815ee395c2ff2365a9
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/italian.xml	115821	text/xml	5.1609	a3c7883767408330cdc737d93d643d0aaf5eb0fd586b86f88c5f8bd55cef1530
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/japanese.xml	124905	text/xml	6.0564	adbe921ac8bf4c1f63d6835d11afffe286eaaa97814c6599790f0fe4e66fd626
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/kabyle.xml	39531	text/xml	5.1233	a5cf5006d1f0487819e418eedb2840208e0ddd28069a46866bde23348ecb59c0
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/kannada.xml	62262	text/xml	5.0074	cd1b07a0752b73204625b27553b6def246947d2832e323c7dea1a350129e9658

Path	Size (bytes)	Type	Entropy	SHA-256
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/kazakh.xml	30406	text/xml	5.3618	c8129786f60b5d24f00e68c0cf78730e456982910a658a29621505216cfa82be
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/korean.xml	117789	text/xml	6.0357	bebdb7a62444a270977920e3817fd9b70b45d6d566d31f2960d89f71af0ee4e3
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/kurdish.xml	49616	text/xml	5.4749	cda6592b4ee3500e13b23f85c5be4fb33a7c6d1ec8acd4390b315ba9cb315585
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/kyrgyz.xml	32226	text/xml	5.4332	31c1faa64d7ec1d31cfb11a7a64d9e7ac5a00ddf31a3a11c630191c97a298213
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/lao.xml	160249	text/xml	5.2194	2ab61e2d9ce41df2ba9551918ef3049fa1740c4ea76d8d1dc9b0781cfff66074
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/latvian.xml	44380	text/xml	5.2417	bf58ff3bdf86e0a7347ef2e47cfc5e7226e920406254dbe11cefc9a3f1108aaf
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/ligurian.xml	28094	text/xml	5.0976	8b84b353a2561c8c30a196519618252c90d39a38fb732f2f829b70faabf1158d
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/lithuanian.xml	61412	text/xml	5.2925	ad2f39ce458cefbf5ce61c640d47d7cbec1b60905c4541b3ba54d58d0802934e
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/luxembourgish.xml	22918	text/xml	5.1636	3814c3e7dac3183f7f5bb26b3ca08d06384b033888ddb06bfcf232a561f7ff70
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/macedonian.xml	30639	text/xml	5.2093	d381ffd822eab74b2f9567599622f43f9c93f0ef92bd62082fed32870fab1e0d
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/malay.xml	20553	text/plain	5.0136	02e73d7ebf2c41f24f161c88fe4332d3504cce54a13bacc9e76683189595fd44
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/malayalam.xml	201001	text/xml	4.9462	daeec0181aea8e85156a98888bada425bea813d031fc831033246fc1db122045
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/marathi.xml	39623	text/xml	5.0939	800b9c524cbfbbb065ac6e1b5c86afca8b5d9d094d802c0d21263254544d841b
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/mongolian.xml	52308	text/xml	5.3863	483a15b1ac1521435773c8eca518e50c33fffeece60ff6f2148e84858adf6bbd
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/nepali.xml	106666	text/xml	4.9846	44f412bc0f8c6bc22351b7677f177165a02c9b8ad5df9851f66cc2b4558ea904
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/norwegian.xml	99633	text/xml	5.2387	462d7314f70499d5ec7918e27d49afa243fc809c62ebc4367c057ebc31be5230
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/nynorsk.xml	31480	text/xml	5.0993	65ba5752f45f048b22541ae92ef4c9123c4359fdc576d7b0e86166a0c9e840a9
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/occitan.xml	60292	text/xml	5.1746	2398f33f0c7d9dd69ee213363c3c924593ae92a4a729c60cb67b7eb53cdd1daf
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/piglatin.xml	121793	text/xml	5.1594	0681e3797739eca23a159d97f577fdca4848cddc18a889449deb5cef3c50d53e
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/polish.xml	113754	text/xml	5.4683	1b4e46f1fb6960d943709429c9bde679f52d08e464c69872d0989cf188e2f790
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/portuguese.xml	117478	text/xml	5.2467	815b5afce4e20f71810816a5db92ee2a4088072910556610d41ada481e9b10d9
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/punjabi.xml	58441	text/xml	5.1990	bff0d8730a17f185abfc028b3813e930d842a2eec7baf30539fdd74ca0504f47
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/romanian.xml	135760	text/xml	4.8501	0a59df2bb76e2facd631c8c567a1fc37eb2b8e2ff608a86e84a159215e133277
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/russian.xml	147452	text/xml	5.3914	7cbf6c61a67ee4807093add2b891b955aa7bb080fc68dc68ca925bfee6e2a0f3
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/samogitian.xml	7832	text/xml	5.0749	ad7850e4f4b98aff535efe8b24e540ac7bb1d39c3dbb8bc649aa7126ab311c6c
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/sardinian.xml	34214	text/xml	5.1050	58250b36770336202242ec38ee7a7b94ec726769829f8f783b3591d1717c4138
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/serbian.xml	109603	text/xml	5.2928	afb751c1b98334d1ff3f977b7aff7876072b217fef6bcab1da71de854397cc69
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/serbianCyrillic.xml	140777	text/xml	5.4119	4989ccb2005d96e18cb365c0631f93503becfa075b2bca46d9df4c6b2206025a
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/sinhala.xml	47295	text/xml	5.1044	fed7209131b5270b6438f4ff375bb1d0f8cd877dc622607b50954c2971ae525d
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/slovak.xml	119743	text/xml	5.5217	920afa67e45f323311fb60511dcd714a93082a306a56ec042afe0b05b49cb754
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/slovenian.xml	100713	text/xml	5.2881	e6c5cf2f8044b2c66aa1cf14cc688218c213d2a9acc867578735a82accb82440

Path	Size (bytes)	Type	Entropy	SHA-256
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/spanish.xml	118935	text/xml	5.2042	9d675ccfe1c58d8f5f6f8078b23baef82c3e8568167e862e119e65b2062a6580
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/spanish_ar.xml	41110	text/xml	5.0895	28a59d5b4bb2b749f0eb462616e1cad266b1dd01316ba09d2416f097d82dfc43
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/swedish.xml	115724	text/xml	5.2972	8b908e7988b19814b4b6084e1c81cd3b342ff642692bcb442e7d7af093e0cbbc
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/tagalog.xml	24296	text/xml	5.0137	29effc91b733691a43964aa8dca610f7d653797147283f03ea0853ce4b9f215f
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/taiwaneseMandarin.xml	107255	text/xml	6.2062	8b3b36ec9f531dbcf0e0077999b487b80b14391ac091b13ad6f3007eba7c8992
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/tajikCyrillic.xml	54653	text/xml	5.3305	2738b1fc16b2cdb007ac46d6591f5a04c357ce6ca13ce6741025fca2a47c9f50
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/tamil.xml	162959	text/xml	5.2646	3482ece17cf387efb818dcba3d5559baedf3bbdd2a92c1c62f0c9f8045ff35a8
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/tatar.xml	58729	text/xml	5.4360	0e7e0115265e97e5d03ea49c5a13f57f5ef567017dda4d71715825a939974008
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/telugu.xml	42445	text/xml	4.9495	50e4d44e3ba97715d50b932f0e0fbbe45638ea4d2f3ba17f1b8b4a3a9d4542ed
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/thai.xml	40329	text/xml	5.0781	96033095531569b47c1a17f743c86195337ae63cb451180cdaaf4447c19a6978
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/turkish.xml	113637	text/xml	5.4471	1bda001f53e3279df96061b6f631d68179a9c4cc30f09cfa56d163b47ee35c58
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/ukrainian.xml	149734	text/xml	5.4358	11de6d37c91d6ba7744212d37f6a081c41ca0747ce6a0f4494d356af7e84813a
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/urdu.xml	12846	text/xml	5.4639	35f660eff9025e096ac18860ff81b085f28f652578ff5948d7215ea24c4f554b
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/uyghur.xml	39815	text/xml	5.4334	fdf858d73828e4db1e0cbce9276c0e7e2827dfe9b9f647f7db629e416dd9405c
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/uzbek.xml	68981	text/xml	5.5149	ce19b2f3c1c38225417448da75d04bac174f7224609abda85f1ee3d932843cef
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/uzbekCyrillic.xml	29572	text/xml	5.2594	ed48a84aafcc1b943f8693e9e5aeb9ea157d052aa49ac8b4ec256ce4a96ce75b
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/venetian.xml	105014	text/xml	5.2596	1aafcaa46074f4fd96eb5a9d65198097c4f17525f0391ff6d2f1a494d18f37d8
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/vietnamese.xml	124866	text/xml	5.6877	ad6982fb9ef83fb1949047d4e85a69a92e630f3a8b35c0ca019fa35d5ed321b0
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/welsh.xml	41443	text/xml	5.1347	0db35a27e8a5c3253dfbf143f0830cfdcc22518ecdd395eb02e3facea9b526e3
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nppLocalization/zulu.xml	62517	text/xml	5.2378	3e1d894ff671bf5bf6582b877c21e18c2a397949b95e717b98c46d30382a1012
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nsDialogs.dll	9728	pe (application/vnd.microsoft.portable-executable)	5.1578	715a9b58de0995d1a08384c522ad9af210e2791aaf8e87a6c07bfe72ebfd2cb5
npp.8.9.9.1.Installer.x64.exe/$PLUGINSDIR/nsExec.dll	7168	pe (application/vnd.microsoft.portable-executable)	5.2961	3a101fa91d4e8831dfb748a1e345ab74fd4a551e64254710bdf53972ba9b473c
npp.8.9.9.1.Installer.x64.exe/$_23_/tabContextMenu_example.xml	7479	text/xml	4.9180	6711713a015eea4a35540a8caa29be3d4583c7748d8e33909bb5cac921396a0e
npp.8.9.9.1.Installer.x64.exe/$_23_/toolbarButtonsConf_example.xml	7653	text/xml	5.0138	e3cfc08c31d7b0a09daf201330f64c503f0894f6632cdb2627d5a5866ca44fb9
npp.8.9.9.1.Installer.x64.exe/$_23_/userDefineLangs/markdown._preinstalled.udl.xml	6454	text/xml	5.0891	65e1adea4bdbd9b85d06af5dda7b1e7ffb5ec9460fe3306867b50bc25d6d3a50
npp.8.9.9.1.Installer.x64.exe/$_23_/userDefineLangs/markdown._preinstalled_DM.udl.xml	6484	text/xml	5.1208	26afdc118746c0af695f24e18f7595ea3065b63c869b102fb40c2919f3b1d936
npp.8.9.9.1.Installer.x64.exe/$_24_/NppConverter/NppConverter.dll	208368	pe (application/vnd.microsoft.portable-executable)	6.3666	4ac632a0a7a2bbb8a7f87129527bd730363aa1c6ec96647dbe82ba6021fc99a8
npp.8.9.9.1.Installer.x64.exe/$_24_/NppExport/NppExport.dll	159216	pe (application/vnd.microsoft.portable-executable)	6.3437	8fa926c1903bff4b407c93d991f49249aa3ba420982e0903b46a43a0b725ff90

Path	Size (bytes)	Type	Entropy	SHA-256
npp.8.9.9.1.Installer.x64.exe/$_24_/mimeTools/mimeTools.dll	150000	pe (application/vnd.microsoft.portable-executable)	6.2369	130fef8319c627f14e2fedaadc1adeadfe0a9a3435540f593fdaf4d4ecd13393
npp.8.9.9.1.Installer.x64.exe/$_26_/nppPluginList.dll	261616	pe (application/vnd.microsoft.portable-executable)	6.3590	ac5c288d027888ec034045857f976c8e4ceae860163633b36645492e9bc6f797
npp.8.9.9.1.Installer.x64.exe/LICENSE	35500	text/plain	4.6164	2b94f58d89424af06d1a8e16775774757f1ecfb678203c3439af037a24f35dc6
npp.8.9.9.1.Installer.x64.exe/[NSIS script].txt	774384	text/plain	5.6148	42346c6bd36dd25de85393db0879586c5381092f9f0e44a01a37eb429f74a7f7
npp.8.9.9.1.Installer.x64.exe/autoCompletion/BaanC.xml	18483	text/xml	4.8089	d408ed3caef21ebb64fb29d633e9ce5069454c1a792a09e2e24f83595d2743be
npp.8.9.9.1.Installer.x64.exe/autoCompletion/actionscript.xml	21513	text/xml	4.9249	0ece58221295c2965346b81d63ca1b6167ab47d1d8ba3fef377c9beded607491
npp.8.9.9.1.Installer.x64.exe/autoCompletion/autoit.xml	738716	text/xml	5.2770	b15afd5149673e3d72fc8e99945197c86ad43113230dcd8bbc952a82e965e146
npp.8.9.9.1.Installer.x64.exe/autoCompletion/batch.xml	3777	text/xml	4.6518	c4025268b36bb02b2d25e5144d360f69cfc7dddcb3ac98cd2d588393b5cbd30d
npp.8.9.9.1.Installer.x64.exe/autoCompletion/c.xml	44386	text/xml	4.8197	35aadc7531e2332679c54306899a21fe3586b7203132cb5673b64915feb91bad
npp.8.9.9.1.Installer.x64.exe/autoCompletion/cmake.xml	7884	text/xml	5.1494	f902adc5faf041306b54d48914a5bc9c8d45057a4da431786aef451e2c39d1f7
npp.8.9.9.1.Installer.x64.exe/autoCompletion/cobol.xml	47436	text/xml	5.3021	7690e1bbe3ee5d55b993ebc1f41df35f5bf1b7aac7c6b6152a6f1112cb9a6773
npp.8.9.9.1.Installer.x64.exe/autoCompletion/coffee.xml	1503	text/xml	4.6205	4dc5389cc699ceeaa7b020349faada9687fb215e80bc3a6d81e97d8b4b994efc
npp.8.9.9.1.Installer.x64.exe/autoCompletion/cpp.xml	63776	text/xml	4.8347	859225af31857a4413b72fc91dda16bfdecdeb3c465faa78929a97b14e421d0b
npp.8.9.9.1.Installer.x64.exe/autoCompletion/cs.xml	33888	text/xml	4.9421	51167c87e44f41d00756bf36c425de070ab831d8b18e75b5c1d3b1468f20dcf9
npp.8.9.9.1.Installer.x64.exe/autoCompletion/css.xml	29963	text/xml	4.8385	a7ffa5e1fad7ef02d3cc1e6ef3152d3dbdc20b421f3738da4ea95ca3bb92c28f
npp.8.9.9.1.Installer.x64.exe/autoCompletion/d.xml	3464	text/xml	4.7781	6c333ba4dbd78ad538dbae482a9122129d6249b9afa7d91b6a42af19ef548767
npp.8.9.9.1.Installer.x64.exe/autoCompletion/gdscript.xml	73064	text/xml	5.2617	6b0955260345c49a52d8bd35f1a6cfb98f7048894eababcce38eeded00ef630d
npp.8.9.9.1.Installer.x64.exe/autoCompletion/go.xml	3911	text/plain	4.8063	b32fb13f6fb628eec6b447983dd062c13f7a68e2aded77be3c5af7384935a7ff
npp.8.9.9.1.Installer.x64.exe/autoCompletion/html.xml	19551	text/xml	4.6966	f2ff7acfcb670ff9d644fb39f3962d38be7a46736869465375cf7322e84f05e2
npp.8.9.9.1.Installer.x64.exe/autoCompletion/java.xml	205359	text/xml	5.0566	18d4506cbd6c04e33b948b1824662efc432a89e83e18abffb78043a2121f5580
npp.8.9.9.1.Installer.x64.exe/autoCompletion/javascript.xml	27778	text/xml	4.8151	3c259ef3139db6ea3c1957adc55ee145724d223fe91dab8596ae6758bacecd30
npp.8.9.9.1.Installer.x64.exe/autoCompletion/lisp.xml	17231	text/xml	4.7829	7dee0ce72cf218da91221c2be184bd22ba16b120396aa1f209583fc9f62fd8bf
npp.8.9.9.1.Installer.x64.exe/autoCompletion/lua.xml	81389	text/xml	4.5019	9f4c5b1c6e423d1e3d288212b4c70272529b7502c61e00a732c5ed7c1cbe9742
npp.8.9.9.1.Installer.x64.exe/autoCompletion/nsis.xml	9507	text/xml	4.9614	55c3ca2340aaacc64e33ffb40ef45ee82d1487bf0219592952c65009ceddcb47
npp.8.9.9.1.Installer.x64.exe/autoCompletion/perl.xml	62233	text/xml	4.9523	adc43e0f7baae79831ad2665cea0fea62a26fad42008360a32c5cbd91d65bb58
npp.8.9.9.1.Installer.x64.exe/autoCompletion/php.xml	433572	text/xml	4.8570	559c396bbef3ea974de6aa084f87139c9cb427422491551ad16e7c81169510f3
npp.8.9.9.1.Installer.x64.exe/autoCompletion/powershell.xml	88004	text/xml	5.1160	6123e3294ccfc27143361426eb5874e8efae8a31b26e0078776daf82cf74d8b0
npp.8.9.9.1.Installer.x64.exe/autoCompletion/python.xml	61578	text/xml	5.1429	23add5af4a1c87485d4886419021f8842b2da6b44962b024c0bd83b3b782b380
npp.8.9.9.1.Installer.x64.exe/autoCompletion/raku.xml	23440	text/xml	4.8974	20809301e7d81e43ad38755a07801d290b07062cc7a0775c1101d0dd9847437f
npp.8.9.9.1.Installer.x64.exe/autoCompletion/rc.xml	1635	text/xml	5.0850	cd8750aaaa3b70d9e9ce22232b8ac5f5c4e1e13c4261894a1d8e32c22ae8657e

Path	Size (bytes)	Type	Entropy	SHA-256
npp.8.9.9.1.Installer.x64.exe/autoCompletion/rust.xml	5756	text/xml	4.4009	44f81f0c74a3732f388f4433beca95e595a5df8e4b0b16c939dc644d431a0291
npp.8.9.9.1.Installer.x64.exe/autoCompletion/sas.xml	21497	text/xml	4.7134	eca2cbf40f377fba22db93d48e7856d4fbee9c24908655bb7d971a5906cbe5d1
npp.8.9.9.1.Installer.x64.exe/autoCompletion/sql.xml	67945	text/xml	5.2792	1b18ca570694e7128d2751a5c7f46464d8ac167be58627a1fd61324284c15ea5
npp.8.9.9.1.Installer.x64.exe/autoCompletion/tex.xml	67864	text/xml	4.7589	c916f03b9dea3d64019907120d7d4efc925e86189327bcbb89969c57934e2c23
npp.8.9.9.1.Installer.x64.exe/autoCompletion/typescript.xml	2417	text/xml	4.1690	a09f978aeba209e18cd424d98c8bafb6165777e3992eb09e5e7e0a26bded4410
npp.8.9.9.1.Installer.x64.exe/autoCompletion/vb.xml	17190	text/xml	5.0894	53104b87f91458aac8c6709b74a7cd5f0367fc6f2280b98aaa495a59e1788551
npp.8.9.9.1.Installer.x64.exe/autoCompletion/vhdl.xml	2625	text/xml	4.6166	dffaf09efd41b7eb9b74128585de649c627627b404fa1925acaa6c56709a3542
npp.8.9.9.1.Installer.x64.exe/autoCompletion/xml.xml	12017	text/xml	4.6901	1730bc85e1cd2652ea44d6da42114937fe9fed4527b5e0cb6e2a09f47e0da92e
npp.8.9.9.1.Installer.x64.exe/change.log	3147	text/plain	4.9964	f54c5b9371e304c3e061f8ff3985095ee86e81d57685538b261bf838b82ae96b
npp.8.9.9.1.Installer.x64.exe/contextMenu/NppShell.dll	389104	pe (application/vnd.microsoft.portable-executable)	6.3223	61c4c7af31decc267ff90232bc542eade635d6a7471a1e0f767376c00479a0d4
npp.8.9.9.1.Installer.x64.exe/contextMenu/NppShell.msix	60183	zip (application/zip) • unpacked by zip	7.9820	38fc44e50e938e243b7f493aeb3abe75632ac59e1c5ac6078ac8c84255e296d2
npp.8.9.9.1.Installer.x64.exe/contextMenu/NppShell.msix/AppxBlockMap.xml	775	text/xml	5.6758	6be8cf6bc67d099fef4c8e712c357170b9f42405b1532263807c256ea097b7ed
npp.8.9.9.1.Installer.x64.exe/contextMenu/NppShell.msix/AppxManifest.xml	2862	text/xml	5.2611	85be2c1b1c705ad709cb88cfff7cb856b8d51c9724c316db4fad0eeedc65261b
npp.8.9.9.1.Installer.x64.exe/contextMenu/NppShell.msix/AppxSignature.p7x	12414	application/octet-stream	7.6416	d053c930a3836677be140665f614ffdbccb429ec2db904985b3e26339c73ee4d
npp.8.9.9.1.Installer.x64.exe/contextMenu/NppShell.msix/Square150x150Logo.png	38542	image/png	7.9872	407a092b2a28be57a1bfa036a1b70d4d0657fe3cced9feebfc3959b6bd27a826
npp.8.9.9.1.Installer.x64.exe/contextMenu/NppShell.msix/Square44x44Logo.png	4643	image/png	7.9526	0fa71a0f02efe9b39135a5f7b5bcc427101c431656d268133188c08f041cd7a4
npp.8.9.9.1.Installer.x64.exe/contextMenu/NppShell.msix/StoreLogo.png	5034	image/png	7.9507	f7b0fb40a50c27479b26b0b016185de7abe69b53ec87dc5a3fc07f2df6b923c1
npp.8.9.9.1.Installer.x64.exe/contextMenu/NppShell.msix/[Content_Types].xml	448	text/xml	5.0083	bd660bee45942b0c6fafcc8335fb2bc90de44e9b3df0d2fbd7cbc59497e48d09
npp.8.9.9.1.Installer.x64.exe/doLocalConf.xml	308	text/plain	4.8047	3ae00a975f3b7e6f0507e679e33b69f6c665908aab83deb2bdfd7250a404602f
npp.8.9.9.1.Installer.x64.exe/functionList/ada.xml	3646	text/xml	4.7150	b5ac09267d7bab91b56f47cb44de8c8c0fb951cf9735f2245757da842cd2052a
npp.8.9.9.1.Installer.x64.exe/functionList/asm.xml	1349	text/xml	4.3013	73526ddb1d23d595680badd6bd87f5dd82869606a7cf7e8707758d48d848257e
npp.8.9.9.1.Installer.x64.exe/functionList/autoit.xml	1848	text/xml	4.5873	32ae9531405ef3c59448fe6dbd3be435e726eb17f3ca0d16530a4c6317dea286
npp.8.9.9.1.Installer.x64.exe/functionList/baanc.xml	8513	text/xml	4.4633	ec249b0dab6fda20cc24f0f25a504c55a05b23fb6cbb4938aa7a41df0c8744b6
npp.8.9.9.1.Installer.x64.exe/functionList/bash.xml	2999	text/xml	4.7758	685f0018debcda9ffbffd8fc54a25ee101d340582ef28784ee01711dd60afe52
npp.8.9.9.1.Installer.x64.exe/functionList/batch.xml	1930	text/xml	4.1657	77eed9211cd8464482f0da3fac4c0f003c2b8a6d76f15445927e66400f102d60
npp.8.9.9.1.Installer.x64.exe/functionList/c.xml	4339	text/xml	4.7120	8c03fb9d5c05a799fd47737d8c2ba786f2a0b9b2625d7a230912ca20f1627973
npp.8.9.9.1.Installer.x64.exe/functionList/cobol-free.xml	1772	text/xml	5.1170	5639c845d56dedecd2cfdb082b734593b5d618a87f1bd8ec612a8b3f4245566a
npp.8.9.9.1.Installer.x64.exe/functionList/cobol.xml	1368	text/xml	5.1147	057784451e3442f381f6a8af931a7050f88d19bda6bc939d37607532a353da1c
npp.8.9.9.1.Installer.x64.exe/functionList/cpp.xml	18515	text/xml	3.6779	40cf1af5650b699a947899d2b43a00dcb64cdeaf080651c82a7930910c1c03f4
npp.8.9.9.1.Installer.x64.exe/functionList/cs.xml	2283	text/xml	5.3224	04508a792558e9761ddc85b4baf0be6bee9972a5a75e145d541262b36e1fbf5e
npp.8.9.9.1.Installer.x64.exe/functionList/css.xml	692	text/xml	4.4162	efdae6a6db01832c42590a7e74aa20b26172c4476f1cd3961dee6d816e90b297

Path	Size (bytes)	Type	Entropy	SHA-256
npp.8.9.9.1.Installer.x64.exe/functionList/d.xml	18503	text/xml	3.6758	5cce8203b5922cec5f8b1b90d53bc9bc53089aee1937f3816b1609b565d94e03
npp.8.9.9.1.Installer.x64.exe/functionList/fortran.xml	1998	text/xml	4.7531	5b324fb16c96737c266d4fec05476017c8547e3f59a16bebcbac0086ed4ae14b
npp.8.9.9.1.Installer.x64.exe/functionList/fortran77.xml	1618	text/xml	4.5836	355a07e657b68f84494b95119c4bec782d27af25c6b396eb1bdf61b387c55bda
npp.8.9.9.1.Installer.x64.exe/functionList/gdscript.xml	1076	text/xml	5.0592	680d3e38277032ce81a7451c1768c40934d3ec75d9c85989922cebad9a5babf6
npp.8.9.9.1.Installer.x64.exe/functionList/haskell.xml	2475	text/xml	4.4000	e163c2dc738f1df1d4029ca9f2af7309da19e4ad4eefac1212bbba6fa0167ad4
npp.8.9.9.1.Installer.x64.exe/functionList/hollywood.xml	959	text/xml	5.0105	37f68324ab750ae6dd622ae7f10596348ec70485371c27dce25ffa886cd4e83b
npp.8.9.9.1.Installer.x64.exe/functionList/ini.xml	953	text/xml	4.8217	a089bac03e32df7994e5c03ce8998b89bb0e3ab5fd531cc0a6616c3087ef1dd5
npp.8.9.9.1.Installer.x64.exe/functionList/inno.xml	4404	text/xml	4.2762	0162159b64eb092f94964faf937f263fb9947b25d40e0d82bd3224d136a140de
npp.8.9.9.1.Installer.x64.exe/functionList/java.xml	9331	text/xml	4.3205	2487221a75a52b4f8aa6d2e62f1c0a55a5cd5240b1cb7aafa66fbb2042590b06
npp.8.9.9.1.Installer.x64.exe/functionList/javascript.js.xml	1782	text/xml	5.2875	b89d99729ce980d121d90827507ffaea8bfb940fc5169f69f5a25838735b977b
npp.8.9.9.1.Installer.x64.exe/functionList/krl.xml	3037	text/xml	5.0743	c158322bd963d2a68ffc878d72213a7394d8c16de72279771ffc924365eec0df
npp.8.9.9.1.Installer.x64.exe/functionList/latex.xml	1016	text/xml	4.7463	89597db6b9f0f062cd3ab1ccbe37a590bfc173143f8e5b9d41d8904b17b4f5c2
npp.8.9.9.1.Installer.x64.exe/functionList/lua.xml	4401	text/xml	4.7884	aad05ac01dbe728e6fa731fcda0c9ee0c81f4242b016a397e76ec693644e550c
npp.8.9.9.1.Installer.x64.exe/functionList/makefile.xml	753	text/xml	4.7295	b3097addb9700fc079021ff6aafd5627da0f636f99b7bfb5b5854405d16cd3d1
npp.8.9.9.1.Installer.x64.exe/functionList/nim.xml	1404	text/xml	4.6880	309ee7546eb7b14919de95f95d11b635fb5a956f7e5d61b95fcefafab08e5fe3
npp.8.9.9.1.Installer.x64.exe/functionList/nppexec.xml	2078	text/xml	4.8865	579159f6e8297268cdbe0226de81b21fb92a282604c78315da80baca4f393703
npp.8.9.9.1.Installer.x64.exe/functionList/nsis.xml	7125	text/xml	4.0886	c13743567fcfc4fa77b66e79447edab2d1ecc97d4da32b655d92ae90968f2b0b
npp.8.9.9.1.Installer.x64.exe/functionList/overrideMap.xml	6818	text/xml	4.9835	b36520deacfa2545a42626b786c16445a37aa34fb2c41ae3d8b78ca6ea6d651f
npp.8.9.9.1.Installer.x64.exe/functionList/pascal.xml	10948	text/xml	3.8567	05843031cf912c16ea0d9a04a547e14a74c6237439d966fbfa6e33011e6116f7
npp.8.9.9.1.Installer.x64.exe/functionList/perl.xml	4805	text/xml	4.4463	442a39ac8f31bbb731e1ce48ff07beb49f76bbe7ead38395436f7339688e8f9e
npp.8.9.9.1.Installer.x64.exe/functionList/php.xml	10085	text/xml	4.7558	6a6df2c1404200931187c537d0dfb740c01978e22a6aab2107e1a3ee38b4b9b2
npp.8.9.9.1.Installer.x64.exe/functionList/powershell.xml	1385	text/xml	4.8610	20dcda2087d9df2028e2ae21f476c6afe34481d2df1c4b6e368e95dffac3f5cf
npp.8.9.9.1.Installer.x64.exe/functionList/python.xml	1149	text/xml	4.9556	4ea8d804fa08f47ade53126116b213893611cf3e6817d0d0e257e5fa5d6c82c5
npp.8.9.9.1.Installer.x64.exe/functionList/raku.xml	1427	text/xml	4.6100	d00a1520fd5b4cef780e63d5a036198ef93bf36124479facd703c8a7118a7737
npp.8.9.9.1.Installer.x64.exe/functionList/ruby.xml	1088	text/xml	4.7761	bffbebedccb4bfd8e849bb3b577eaf0bc821bd45be29905017e667034e5b25be
npp.8.9.9.1.Installer.x64.exe/functionList/rust.xml	1848	text/xml	4.6487	1571595dee56cf2b6b2e39f2108db82cd2e8faf15c1d15bba2fdf34770bcda7f
npp.8.9.9.1.Installer.x64.exe/functionList/sas.xml	2570	text/xml	4.2380	4e4b268d1b62b5ef901f4348ab5c7917580b1f9559559cdcae52e9ba0a6e5968
npp.8.9.9.1.Installer.x64.exe/functionList/sinumerik.xml	1003	text/xml	4.8615	db3ac1fd3d65df45d805adb8dfe0c5209db07ef93406db17dfb783dd8048720a
npp.8.9.9.1.Installer.x64.exe/functionList/sql.xml	5250	text/xml	4.3516	e02aafc17d811a8c5bde7934f984e669475d8bd610a7fd2145e8dc999ccc3ff5
npp.8.9.9.1.Installer.x64.exe/functionList/tex.xml	1009	text/xml	4.7463	c285165f24559742ef0c993dedcefecb7d41545197b41f541e226014bf924388
npp.8.9.9.1.Installer.x64.exe/functionList/toml.xml	946	text/xml	4.7093	1d6c4692c044b5e9c4e3135cfa991a1823eec109922984217ac76acf7d4fbeac

Path	Size (bytes)	Type	Entropy	SHA-256
npp.8.9.9.1.Installer.x64.exe/functionList/typescript.xml	1163	text/xml	5.1360	5ff8b37c88bcc7aad7d8794847491fef20c917a0f095c47815a7d959aab9f457
npp.8.9.9.1.Installer.x64.exe/functionList/universe_basic.xml	2021	text/xml	4.6598	7c0719b9b312a531cf41cd08affaccee f6de084619808238fec0f0247955f26e
npp.8.9.9.1.Installer.x64.exe/functionList/vb.xml	2514	text/xml	5.4387	853ee4bb2b457d8e1f65d033aa33a811b61e606b4cbe192120efc60cac2203a1
npp.8.9.9.1.Installer.x64.exe/functionList/vhdl.xml	1623	text/xml	4.6734	558bbe6193a202dcb00cc441421f5d838764e495b8e4d2e10877db7f661b8cd5
npp.8.9.9.1.Installer.x64.exe/functionList/xml.xml	2229	text/xml	4.4220	5ac3e308c8bef5ed42463929a1be5f519f56a0785fd8c2aed6f85073cc5f98fc
npp.8.9.9.1.Installer.x64.exe/langs.model.xml	584703	text/xml	4.7675	fb2a98a1cd701cf5c05723e337666b786ed9d5cb5dbd6c93c11e0d5c80a8a671
npp.8.9.9.1.Installer.x64.exe/localization/english.xml	109084	text/xml	5.2429	1744cdf5d9fc0ad0b5ba177b1223e44145874e7fe9974ddfccc204a2f45bfc72
npp.8.9.9.1.Installer.x64.exe/notepad++.exe	8594928	pe (application/vnd.microsoft.portable-executable)	6.9319	5518ad65f576b993c48da1878bda83a62f7a101d246aefab472379ca8800390c
npp.8.9.9.1.Installer.x64.exe/readme.txt	1526	text/plain	4.8976	bc661498305746c6deacbee301522f7c283566a804184e290481d3b57af675b1
npp.8.9.9.1.Installer.x64.exe/stylers.model.xml	258540	text/xml	4.8511	782c193c8a962d746735f7aa75c25ba3ecae5662e867cf27e4df60f906bdea38
npp.8.9.9.1.Installer.x64.exe/themes/Bespin.xml	260882	text/xml	4.9315	0c06bca3ab5446d1857e16cb3a3baf8beceac43a729693a1c5e1c7d0ac646b89
npp.8.9.9.1.Installer.x64.exe/themes/Blackboard.xml	259524	text/xml	4.9128	27d68f6dbebb5564ea14d9d9f0c44d0bddbf48a100c699cd0e6c0d4fba13831b
npp.8.9.9.1.Installer.x64.exe/themes/Choco.xml	259606	text/xml	4.9465	acc89f32794d379fdced1eaae824346cedfd0646ff504cd9dde2b0348a43030d
npp.8.9.9.1.Installer.x64.exe/themes/DansLeRuSH-Dark.xml	260631	text/xml	4.9183	659f1dcf19d53f1378b2aefa6f2eb85a0a079b7acdb22bbddd62317d134e23b3
npp.8.9.9.1.Installer.x64.exe/themes/DarkModeDefault.xml	259330	text/xml	4.9038	3d7dd9371bb54cc561d510af0d05cf9d49c15898203b7da8d7042962298b10bc
npp.8.9.9.1.Installer.x64.exe/themes/Deep Black.xml	258299	text/xml	4.8392	f599c90089dc06fe3ec5bb8e8fd8563e8590ba69d5974206d846f952e1b2c131
npp.8.9.9.1.Installer.x64.exe/themes/Hello Kitty.xml	257971	text/xml	4.8499	18badf0c939baf28b94de074875bd9f0f866f55bd63ca7cb3da630bf3a6f8763
npp.8.9.9.1.Installer.x64.exe/themes/HotFudgeSundae.xml	261573	text/xml	4.9439	08d89f820487e9a4e73d954aafb54c3daffd0e644031c0123b2242903fb6ca05
npp.8.9.9.1.Installer.x64.exe/themes/Mono Industrial.xml	259581	text/xml	4.9050	cc976aebaafffea51c0bf7c18986b79608a4cfa79f4b3f8dbceaa759688a3d13
npp.8.9.9.1.Installer.x64.exe/themes/Monokai.xml	258863	text/xml	4.9227	9c001cfb46c4501cfd10dd5c988ef143d811a54ba58634ed48abaa25611d699d
npp.8.9.9.1.Installer.x64.exe/themes/MossyLawn.xml	260296	text/xml	4.9604	37773e6a69774a939cf7fafef59f2a189605d562255dd179f0986de8e9ba256d
npp.8.9.9.1.Installer.x64.exe/themes/Navajo.xml	260088	text/xml	4.8970	2630937a818b6553197f5ef2ee9ce96116e07bec89a83996c2b6570e3919dee2
npp.8.9.9.1.Installer.x64.exe/themes/Obsidian.xml	258363	text/xml	4.9414	7192e77b1222bedfcc3121ef0ad195e51877cbac1d9d0ed1f6fe716057d9a43d
npp.8.9.9.1.Installer.x64.exe/themes/Plastic Code Wrap.xml	259771	text/xml	4.9367	5bd81500b48e2e40971175a77f1515cc9eb9a4e5c08a5d62614edaf37df26da1
npp.8.9.9.1.Installer.x64.exe/themes/Ruby Blue.xml	258658	text/xml	4.9141	96d71159a762dc8d61645b580ee201f8c4a342e6de786ef1e62142f2a0933e31
npp.8.9.9.1.Installer.x64.exe/themes/Solarized-light.xml	260742	text/xml	4.9590	1d6d1351521ae61cb2d3da07cc503f875986989c6110ee93f84ff87fdec9f29c
npp.8.9.9.1.Installer.x64.exe/themes/Solarized.xml	261280	text/xml	4.9579	74518dd1a1a597386abff49515109737f1bff9014eada7ce5e656479e832aa38
npp.8.9.9.1.Installer.x64.exe/themes/Twilight.xml	259642	text/xml	4.9289	ad6230d95af98289bb0c9a8f81ccf971201533e89a15c3b41f6acc2fcf73edb0
npp.8.9.9.1.Installer.x64.exe/themes/Vibrant Ink.xml	258624	text/xml	4.8515	52bcb4c6afa710e736f8ad1257157ab99e95aa098862d795d1a76bd9be1bc9dd
npp.8.9.9.1.Installer.x64.exe/themes/Zenburn.xml	257009	text/xml	4.8998	3ca61b905cab3b73bf137acf9c6e493af93b15d703aa33b591b9721464b0d865
npp.8.9.9.1.Installer.x64.exe/themes/khaki.xml	260075	text/xml	4.9001	56f7bad9eeeaf9beaf6cd4c5d8dc049760b5c863058552b2d59c9d4e4c021b4a

Path	Size (bytes)	Type	Entropy	SHA-256
npp.8.9.9.1.Installer.x64.exe/themes/vim Dark Blue.xml	257704	text/xml	4.8544	8838a2548608c5df1abbfbb0c115d9e60ca7e7dde7fe65e4d0a1c87f6178e268
npp.8.9.9.1.Installer.x64.exe/uninstall.exe	280280	pe (application/vnd.microsoft.portable-executable) · unpacked by nsis	6.7862	d23d8cc18727e38e12d5a9c7dc1c97aade87bfbc6291e9c9afdfb27a87bf1d85
npp.8.9.9.1.Installer.x64.exe/uninstall.exe/$PLUGINSDIR/System.dll	12288	pe (application/vnd.microsoft.portable-executable)	5.8058	996645d7f16a6294babb6da83478062aed7b72318d7a51b66e90ab5d3edc51a5
npp.8.9.9.1.Installer.x64.exe/uninstall.exe/$PLUGINSDIR/UserInfo.dll	4096	pe (application/vnd.microsoft.portable-executable)	3.3413	0893c4d31c7d9c2106eea64f10d6b17a00b742727662a883c39990bcee6a7d15
npp.8.9.9.1.Installer.x64.exe/uninstall.exe/$PLUGINSDIR/modern-header.bmp	26270	image/bmp	7.6781	e6c5be8aba1f657fe77e8c9bbfac3536a69530aa5c1411cc3d6c235373203a46
npp.8.9.9.1.Installer.x64.exe/uninstall.exe/$PLUGINSDIR/modern-header.bmp (2)	26272	image/bmp	7.6781	bb90d4338d2474138473e6b16e94b0237ee847bea45019ed0dd4439c71bd233e
npp.8.9.9.1.Installer.x64.exe/uninstall.exe/[NSIS script].txt	43072	text/plain	5.4580	2d04222f97595a042315ff29fad14addedbae0a202eb230b73dc2a5ab8c8674b
npp.8.9.9.1.Installer.x64.exe/updater/GUP.exe	1384432	pe (application/vnd.microsoft.portable-executable)	6.4649	6c5a2612dafcda7b8f501e53d41d297f57d41f62f8cb476e8498b287950da53e
npp.8.9.9.1.Installer.x64.exe/updater/LICENSE	7804	text/plain	4.5570	319917f5ccd09878db6f67c9a77dee846055644ca49eb535628b9e020a87261e
npp.8.9.9.1.Installer.x64.exe/updater/README.md	3121	text/plain	4.8532	06b0a9509258ee6bcb407e27f7c276ad23e8dd8cc1e0a3888af8655922c2612b
npp.8.9.9.1.Installer.x64.exe/updater/gup.xml	4608	text/xml	5.0140	92717951aae89e960b142cef3d273f104051896a3d527a78ca4a88c22b5216a5
npp.8.9.9.1.Installer.x64.exe/updater/updater.ico	133872	image/vnd.microsoft.icon	5.9971	fb40c912b218a71bd7bc1aeef5530165df60d0b4f896929f989b8ff37a98d459

14 Coverage and limitations

Every file in the tree was read in full.

No limitations were recorded.