Analysis report

node-v22.11.0.pkg

Tool `analyze-anything 0.1.1`
Input SHA-256 `8d658eda7699d580ccc268ca8a40ced5aeecef5bb4d19c4187e92eebac5d68ec`

Summary

▲ High	◆ Medium	● Low	○ Info
0	2	4	41

Input	single file
Files analyzed / all files (unpacked ones included)	4894 / 4894
Containers unpacked	4
Bytes read	480765047
Findings	47 (By severity: High 0 • Medium 2 • Low 4 • Info 41)

How to read this

Every finding states its confidence: "Verified" was read directly from a file structure or checked cryptographically; "Derived" follows from what was read by a fixed rule; "Heuristic" is a rule's guess and may be wrong. Entries with severity "Info" are neutral facts, not problems.

Findings of the same rule are shown as one entry: a sentence that repeats is written once, followed by the files it holds for. Long lists show their first items and say how many are left out; the evidence and ID of every finding are in report.html and report.json.

This PDF is for reading and filing: long lists are cut and say so; report.html and report.json hold the complete data.

Contents

Summary 1
1 Overview • 2 kinds / 2 findings 2
Needs attention • 3 kinds / 6 findings 2
2 Identity • 6 kinds / 9 findings 2
3 Provenance and signing • 6 kinds / 6 findings 3
4 Structure • 4 kinds / 4 findings 4
5 Technology and composition • 3 kinds / 3 findings 5
6 Permissions and capabilities • 2 kinds / 2 findings 5
7 Hardening • 5 kinds / 9 findings 6
8 Network and endpoints • 1 kind / 1 finding 7
9 Secrets • 1 kind / 4 findings 7
10 Privacy 7
11 Code insight • 3 kinds / 6 findings 7
12 Anomalies • 1 kind / 1 finding 8
13 File inventory 8
14 Coverage and limitations 22

1 Overview • 2 kinds / 2 findings

○ Info → Derived **Kind of input**
This is a macOS installer package (pkg).
Evidence `node-v22.11.0.pkg = pkg`
Finding ID `089cf796643a5ec9`

○ Info → Derived **Findings that need attention**
There are 0 high, 2 medium and 4 low severity findings, and 40 neutral facts. Severity is fixed per rule and orders the reading; these counts are not a verdict on whether the input is safe.
Evidence `node-v22.11.0.pkg = 6`
Finding ID `c31c95a232085e10`

Needs attention • 3 kinds / 6 findings

Every finding above "Info", grouped by rule. Each appears again in its own chapter.

● Low ✓ Verified **Scripts run during installation**
The component package org.nodejs.npm.pkg runs scripts during installation: preinstall → ./preinstall, postinstall → ./postinstall. Installer scripts usually run as root and can change anything on the system.
Evidence `node-v22.11.0.pkg/npm-v10.9.0.pkg/PackageInfo @ scripts = [["preinstall","./preinstall"], ["postinstall","./postinstall"]]`
Evidence `node-v22.11.0.pkg/npm-v10.9.0.pkg/Scripts/preinstall = {"size":105}`
Evidence `node-v22.11.0.pkg/npm-v10.9.0.pkg/Scripts/postinstall = {"size":139}`
Finding ID `12d890dedf7ac837`

◆ Medium × 1 • Low × 3 • Verified **Hardened-runtime exception** 4 findings
…/node
node carries the entitlement com.apple.security.cs.disable-executable-page-protection, which relaxes one protection of the hardened runtime.
…/node
node carries the entitlement com.apple.security.cs.allow-dyld-environment-variables, which relaxes one protection of the hardened runtime.
…/node
node carries the entitlement com.apple.security.cs.allow-unsigned-executable-memory, which relaxes one protection of the hardened runtime.
…/node
node carries the entitlement com.apple.security.cs.disable-library-validation, which relaxes one protection of the hardened runtime.

◆ Medium ✓ Verified **Debugging allowed in a distribution build**
node is signed for distribution yet carries com.apple.security.get-task-allow: other processes may attach to it and read its memory. A distribution build should not have this entitlement.
Evidence `node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/bin/node @ entitlements.com.apple.security.get-task-allow = true`
Standards MASVS-RESILIENCE-4, CWE-489 Finding ID `e09fc4d40e17bf06`

2 Identity • 6 kinds / 9 findings

○ Info × 2 • Verified **Mach-O file** 2 findings
…/node
[arm64] A Mach-O 64-bit executable for arm64.
…/node
[x86_64] A Mach-O 64-bit executable for x86_64.

○ Info ✓ Verified **Universal binary**
A universal Mach-O file with 2 architecture slices: x86_64, arm64. What the slices have in common is stated once, with the architectures it holds for in brackets; a statement naming one architecture is particular to that slice.
Evidence `node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/bin/node @ 0+48 = x86_64, arm64`
Finding ID `7c67af737284a18a`

○ Info ✓ Verified **Minimum OS version**
[x86_64, arm64] Built for macOS, minimum OS version 11.0; SDK version: 13.3.
Evidence `node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/bin/node @ 18584+24 = macOS 11.0, SDK 13.3`
Evidence `node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/bin/node @ 124733592+24 = macOS 11.0, SDK 13.3`
Finding ID `137f5822997f8ca0`

○ Info × 2 • Verified **Build identifier** 2 findings
`…/node`
[x86_64] The Mach-O UUID is FA55B9F3-5DBD-397E-B479-CE8FE4F42015. Debug symbol files from the same build carry the same identifier.
`…/node`
[arm64] The Mach-O UUID is 9F839F73-1267-3E0F-8D75-BFD0DAE68197. Debug symbol files from the same build carry the same identifier.

○ Info ✓ Verified **Installer product**
The installer is titled “Node.js” and holds 2 component packages: org.nodejs.node.pkg v22.11.0, org.nodejs.npm.pkg v10.9.0. It carries installation-check scripts: false.
Evidence `node-v22.11.0.pkg/Distribution @ title = Node.js`
Evidence `node-v22.11.0.pkg/Distribution @ pkg-ref = ["org.nodejs.node.pkg v22.11.0","org.nodejs.npm.pkg v10.9.0"]`
Finding ID `20ae07079fa8465a`

○ Info × 2 • Verified **Installer component** 2 findings
`…/node-v22.11.0.pkg/PackageInfo`
Component package org.nodejs.node.pkg: identifier org.nodejs.node.pkg, version v22.11.0, runs as root, files 2985, installed KB 289951.
`…/npm-v10.9.0.pkg/PackageInfo`
Component package org.nodejs.npm.pkg: identifier org.nodejs.npm.pkg, version v10.9.0, runs as root, files 3078, installed KB 12452.

3 Provenance and signing • 6 kinds / 6 findings

○ Info ✓ Verified **Code signature**
node carries a code signature: identifier node, cdhash 76d840806bfcc142c500dbef660dfefaf72ec190 (sha256, arm64), flags 0x10000 (runtime). The cdhash was computed by this tool from the code directory.
Evidence `node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/bin/node @ 123735360+986096 = {"arch":"x86_64","cdhash":"6b01010d44141bcb197f90239d0e83b4d6909528","flags":["runtime"],"identifier":"node"}`
Evidence `node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/bin/node @ 242910144+942832 = {"arch":"arm64","cdhash":"76d840806bfcc142c500dbef660dfefaf72ec190","flags":["runtime"],"identifier":"node"}`
Finding ID `dbf2d73705128e07`

○ Info → Derived **Developer ID signature**
node is signed by “Developer ID Application: Node.js Foundation (HX7739G8FX)”, a Developer ID certificate, used to distribute software outside the Mac App Store. The type is read from the signer certificate's name.
Evidence `node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/bin/node @ 242910144+942832 = {"apple_extensions":["1.2.840.113635.100.6.1.13","1.2.840.113635.100.6.1.33"],"signer_common_name":"Developer ID Application: Node.js Foundation (HX7739G8FX)","…`
Finding ID `7ccbd9ae13a7159e`

○ Info ✓ Verified **Other code matches its signatures**
Verified: for 1 further Mach-O file (main executables of other bundles, and code that belongs to no bundle), all 59058 code-page hashes match the files' content. They were not altered after signing.
Evidence `node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/bin/node = {"page_hashes_match":true}`
Finding ID `b95916d231059cd2`

○ Info ✓ Verified **Code signing overview**
1 Mach-O file in all; by signature type: 1 developer-id. Team identifiers seen: HX7739G8FX.
Evidence `node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/bin/node = developer-id`
Finding ID `10a510262146b0b1`

○ Info ✓ Verified **Installer package signature**
node-v22.11.0.pkg is signed by “Developer ID Installer: Node.js Foundation (HX7739G8FX)” (signature styles: RSA, CMS); certificate chain: Developer ID Installer: Node.js Foundation (HX7739G8FX) ← Developer ID Certification Authority ← Apple Root CA.
Evidence `node-v22.11.0.pkg @ signature.certificates[0] = {"apple_extensions":["1.2.840.113635.100.6.1.14", "1.2.840.113635.100.6.1.33"],"common_name":"Developer ID Installer: Node.js Foundation (HX7739G8FX)","is_ca":fa…`
Evidence `node-v22.11.0.pkg @ signature.certificates[1] = {"apple_extensions":["1.2.840.113635.100.6.2.6"], "common_name":"Developer ID Certification Authority","is_ca":true,"issuer":"CN=Apple Root CA,OU=Apple Certifica…`
Evidence `node-v22.11.0.pkg @ signature.certificates[2] = {"apple_extensions":[],"common_name":"Apple Root CA","is_ca":true,"issuer":"CN=Apple Root CA,OU=Apple Certification Authority,O=Apple Inc.,C=US", "issuer_common_…`
Finding ID `a466e65e60598c47`

○ Info ✓ Verified **Package signature verifies**
Verified: the table-of-contents checksum of node-v22.11.0.pkg is correct, the signature value verifies with the signer's public key, and the chain verifies up to known root: Apple Root CA. Revocation and notarization were not checked.
Evidence `node-v22.11.0.pkg = {"anchor":"known root: Apple Root CA","links":["valid","valid","valid"], "signature":"valid","style":"RSA","toc_checksum":{"algorithm":"sha1","matches":true}}`
Finding ID `6868e989d84ee3c0`

4 Structure • 4 kinds / 4 findings

○ Info → Derived **Size**
4890 files, 309267805 bytes in all. The input itself holds 1 file (85920939 bytes); a further 4893 files (394844108 bytes) were unpacked from 4 containers, nested up to 2 deep.
Evidence `node-v22.11.0.pkg = 1`
Finding ID `c9421dfe370e9371`

○ Info → Derived **Size by type**
The largest type is macho-fat: 1 file, 243852976 bytes, 78.8% of all content. The full breakdown is in the summary data structure.by_type.
Evidence `node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/bin/node = macho-fat`
Finding ID `fc3b98767ed50d5f`

○ Info ✓ Verified **Largest file**
The largest file is node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/bin/node (243852976 bytes). The top 25 are in the summary data structure.largest.
Evidence `node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/bin/node = 243852976`
Finding ID `7d92c6ea73b686db`

○ Info ✓ Verified **Identical files**

284 groups of files have identical content (same SHA-256); the repeated copies add up to 47821860 bytes.

Evidence `node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm/include/openssl/ssl.h = 5cde1092068b9dcf783e2cf079032a8938dc639df9f5d5e7e01ea69a43e481ca`
Evidence `node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm_avx2/include/openssl/ssl.h = 5cde1092068b9dcf783e2cf079032a8938dc639df9f5d5e7e01ea69a43e481ca`
Evidence `node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/no-asm/include/openssl/ssl.h = 5cde1092068b9dcf783e2cf079032a8938dc639df9f5d5e7e01ea69a43e481ca`
Evidence `node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm/include/openssl/ssl.h = 5cde1092068b9dcf783e2cf079032a8938dc639df9f5d5e7e01ea69a43e481ca`
Finding ID `3363d41eddb1cad8`

5 Technology and composition • 3 kinds / 3 findings

○ Info ✓ Verified **Linked libraries**

[x86_64, arm64] Linked libraries (3): /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation, /usr/lib/libSystem.B.dylib, /usr/lib/libc++.1.dylib. The full list is in the fact binary.libraries.

Evidence `node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/bin/node @ [x86_64] LC_LOAD_DYLIB = /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation`
Evidence `node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/bin/node @ [x86_64] LC_LOAD_DYLIB = /usr/lib/libSystem.B.dylib`
Evidence `node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/bin/node @ [x86_64] LC_LOAD_DYLIB = /usr/lib/libc++.1.dylib`
Evidence `node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/bin/node @ [arm64] LC_LOAD_DYLIB = /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation`
Evidence `node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/bin/node @ [arm64] LC_LOAD_DYLIB = /usr/lib/libSystem.B.dylib`
1 more pieces of evidence not shown here
Finding ID `84f8a758e1b4a0d6`

○ Info → Derived **Programming language**

[x86_64, arm64] Contains code written in C++ (basis: links /usr/lib/libc++.1.dylib).

Evidence `node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/bin/node @ [x86_64] toolchain marker = links /usr/lib/libc++.1.dylib`
Evidence `node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/bin/node @ [arm64] toolchain marker = links /usr/lib/libc++.1.dylib`
Finding ID `2aeabfacad04c8d4`

○ Info ✓ Verified **Build tools**

[x86_64, arm64] LC_BUILD_VERSION records the build tools: ld 857.1.

Evidence `node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/bin/node @ 18608+8 = ld 857.1`
Evidence `node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/bin/node @ 124733616+8 = ld 857.1`
Finding ID `ac7e2e0d97a4b73a`

6 Permissions and capabilities • 2 kinds / 2 findings

● Low ✓ Verified **Scripts run during installation**

The component package org.nodejs.npm.pkg runs scripts during installation: preinstall → ./preinstall, postinstall → ./postinstall. Installer scripts usually run as root and can change anything on the system.

Evidence `node-v22.11.0.pkg/npm-v10.9.0.pkg/PackageInfo @ scripts = [["preinstall","./preinstall"], ["postinstall","./postinstall"]]`
Evidence `node-v22.11.0.pkg/npm-v10.9.0.pkg/Scripts/preinstall = {"size":105}`
Evidence `node-v22.11.0.pkg/npm-v10.9.0.pkg/Scripts/postinstall = {"size":139}`
Finding ID `12d890dedf7ac837`

○ Info ✓ Verified **Entitlements**

The signature of node carries 6 entitlements: com.apple.security.cs.allow-dyld-environment-variables, com.apple.security.cs.allow-jit, com.apple.security.cs.allow-unsigned-executable-memory, com.apple.security.cs.disable-executable-page-protection, com.apple.security.cs.disable-library-validation, com.apple.security.get-task-allow. The evidence gives each value.

Evidence `node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/bin/node @ entitlements.com.apple.security.cs.allow-dyld-environment-variables = true`
Evidence `node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/bin/node @ entitlements.com.apple.security.cs.allow-jit = true`
Evidence `node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/bin/node @ entitlements.com.apple.security.cs.allow-unsigned-executable-memory = true`
Evidence `node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/bin/node @ entitlements.com.apple.security.cs.disable-executable-page-protection = true`
Evidence `node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/bin/node @ entitlements.com.apple.security.cs.disable-library-validation = true`
1 more pieces of evidence not shown here
Finding ID `99fd615f2fb8100b`

7 Hardening • 5 kinds / 9 findings

◆ Medium × 1 • Low × 3 • Info × 1 • Verified **Hardened-runtime exception** 5 findings

…/node
node carries the entitlement com.apple.security.cs.disable-executable-page-protection, which relaxes one protection of the hardened runtime.

…/node
node carries the entitlement com.apple.security.cs.allow-dyld-environment-variables, which relaxes one protection of the hardened runtime.

…/node
node carries the entitlement com.apple.security.cs.allow-unsigned-executable-memory, which relaxes one protection of the hardened runtime.

…/node
node carries the entitlement com.apple.security.cs.disable-library-validation, which relaxes one protection of the hardened runtime.

…/node
node carries the entitlement com.apple.security.cs.allow-jit, which relaxes one protection of the hardened runtime.

◆ Medium ✓ Verified **Debugging allowed in a distribution build**

node is signed for distribution yet carries com.apple.security.get-task-allow: other processes may attach to it and read its memory. A distribution build should not have this entitlement.

Evidence `node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/bin/node @ entitlements.com.apple.security.get-task-allow = true`
Standards MASVS-RESILIENCE-4, CWE-489 Finding ID `e09fc4d40e17bf06`

○ Info → Derived **Stack canary**

[x86_64, arm64] The stack-protector symbol ___stack_chk_fail is referenced, so at least part of the code was built with stack-overflow detection. This is inferred from the symbol.

Evidence `node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/bin/node @ 97073992+16 = ___stack_chk_fail`
Evidence `node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/bin/node @ 216990856+16 = ___stack_chk_fail`
Finding ID `fcb055336f34baa1`

○ Info ✓ Verified **Position-independent executable (PIE)**

[x86_64, arm64] The header has MH_PIE set: the system can randomise where the executable is loaded (ASLR).

Evidence `node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/bin/node @ 16408+4 = flags = 0xa18085`
Evidence `node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/bin/node @ 124731416+4 = flags = 0xa18085`
Finding ID `61ccec2283bb2f09`

○ Info ✓ Verified **Non-executable stack**
[x86_64, arm64] The header does not have MH_ALLOW_STACK_EXECUTION set: data on the stack cannot run as code.
Evidence `node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/bin/node @ 16408+4 = flags = 0xa18085`
Evidence `node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/bin/node @ 124731416+4 = flags = 0xa18085`
Finding ID `279f19eea9173a4d`

8 Network and endpoints • 1 kind / 1 finding

○ Info ✓ Verified **Hosts mentioned in the files**
2244 distinct URLs pointing at 242 hosts were found in 2964 files. These are addresses written in the files; the program does not necessarily contact them.
Evidence `node-v22.11.0.pkg/npm-v10.9.0.pkg/Payload/usr/local/lib/node_modules/npm/node_modules/@sigstore/sign/dist/util/oidc.js = accounts.google.com`
Evidence `node-v22.11.0.pkg/npm-v10.9.0.pkg/Payload/usr/local/lib/node_modules/npm/node_modules/sprintf-js/demo/angular.html = ajax.googleapis.com`
Evidence `node-v22.11.0.pkg/npm-v10.9.0.pkg/Payload/usr/local/lib/node_modules/npm/node_modules/sprintf-js/bower.json = alexei.ro`
Evidence `node-v22.11.0.pkg/npm-v10.9.0.pkg/Payload/usr/local/lib/node_modules/npm/node_modules/diff/release-notes.md = api.github.com`
Evidence `node-v22.11.0.pkg/npm-v10.9.0.pkg/Payload/usr/local/lib/node_modules/npm/node_modules/node-gyp/README.md = apps.microsoft.com`
5 more pieces of evidence not shown here
Finding ID `907b54012ebce57c`

9 Secrets • 1 kind / 4 findings

○ Info × 4 • Heuristic **Private key marker** 4 findings
The file holds the opening marker of a PRIVATE KEY, with no key material after it. This is usually a string the program uses to recognise or write key files, not an embedded key.
The same holds 4 times, for `…/config.md`, `…/config.html`, `…/config.7`, `…/definitions.js`

10 Privacy

No findings in this chapter. This means no enabled check matched, not that nothing of the kind exists.

11 Code insight • 3 kinds / 6 findings

○ Info × 2 • Verified **Symbol table present** 2 findings
`…/node`
[arm64] The symbol table has not been stripped: it holds 269680 symbol names, so internal function names can be read directly.
`…/node`
[x86_64] The symbol table has not been stripped: it holds 279333 symbol names, so internal function names can be read directly.

○ Info × 2 • Verified **Imported and exported symbols** 2 findings
`…/node`
[x86_64] Imported symbols: 7354; exported symbols: 62895. The lists are in the facts binary.imports and binary.exports.
`…/node`
[arm64] Imported symbols: 7633; exported symbols: 63133. The lists are in the facts binary.imports and binary.exports.

○ Info × 2 • Verified **Debug information present** 2 findings

…/node

[x86_64] The file carries debug information: 211571 debug symbol table entries (a debug map naming source and object files).

…/node

[arm64] The file carries debug information: 204727 debug symbol table entries (a debug map naming source and object files).

12 Anomalies • 1 kind / 1 finding

○ Info ≈ Heuristic **Unrecognised high-entropy data**

The file type is not recognised and its entropy is 7.9919 (of 8). Data like this is usually compressed, encrypted or packed; what it holds cannot be told.

Evidence `node-v22.11.0.pkg = 7.9919`

Finding ID `39b83ca54aed58ac`

13 File inventory

Path	Size (bytes)	Type	Entropy	SHA-256
node-v22.11.0.pkg	85920939	pkg (application/octet-stream) • unpacked by xar	7.9919	8d658eda7699d580ccc268ca8a40ced5aeecef5bb4d19c4187e92eebac5d68ec
node-v22.11.0.pkg/Distribution	1251	pkg-distribution (text/xml)	4.8831	9cf720de1bed88065de01c81f19f7232862502118d8126fa2554543cdfed69f6
node-v22.11.0.pkg/Resources/en.lproj/conclusion.html	509	text/html	4.5118	e9ea095576a1dd5360932b23f9795a094b15d0e4267f684f371c56820cb3a981
node-v22.11.0.pkg/Resources/en.lproj/welcome.html	357	text/html	4.4686	4b527d6a18f41178a98730efbdb6f8abf2739143a576d07065adbed44e5e12bc
node-v22.11.0.pkg/Resources/license.rtf	150775	application/rtf	5.2184	282dc52dee761f33cf25e5d69e619d2c71eeacba15ab075d1cfa591350308836
node-v22.11.0.pkg/Resources/osx_installer_logo.png	2521	image/png	7.5801	17e6289cb45a094db754652be1c30960ff28916314722204a706843870758fa0
node-v22.11.0.pkg/node-v22.11.0.pkg/Bom	675095	application/octet-stream	3.1270	432a0c667dd8ee515ce781e6195f2d56cea46fee3272730b10b45dbcef99a99e
node-v22.11.0.pkg/node-v22.11.0.pkg/PackageInfo	457	pkg-info (text/xml)	4.9580	135df9430570f3c08f30c35f59e2857b00588865419e44a3c0ed747e506abb8b
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload	82656218	cpio-gzip (application/gzip) • unpacked by cpio	7.9915	123eaff053033818300f8e5ca534e1f1dc5b5e15ce41d5e63b68f13b92ec8934
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/bin/node	243852976	macho-fat (application/x-mach-binary)	6.6095	7b7ffd8a081edeb6900cad6e4832a8e5162ce4f619190456b6966ad5f1a08993
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/common.gypi	26027	text/plain	4.6539	3df77d0533cd3744745a3f92212be64b4c1485e32f7084ce6e4d79acd41aa4b1
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/config.gypi	28853	text/plain	3.1933	78a8897998662fb88e66921723a24f8c540f44b411e465926ca28bcf00e34a77
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/cppgc/allocation.h	11889	text/plain	4.9414	bb3c6bdba714de127d89bb1576c601d69ef6accb5080bce98566f68093bb5ace
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/cppgc/common.h	643	text/plain	5.0112	3c64e8f6eb258720401ec5079869c2148213f72f6d4d4df6df89d546b07a2c1a
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/cppgc/cross-thread-persistent.h	15170	text/plain	4.8314	35cb3964217662a99e9c3cefaf75127a049fb50160cd6292cb1f09039df8c936
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/cppgc/custom-space.h	2454	text/plain	4.9383	e07586be071fa0bc194efd585b0c9e483bb332049ee12693de27801879b9c868
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/cppgc/default-platform.h	2230	text/plain	5.1582	b83af2ba4c121f24895b01eaf2d08f10b28efd2d3fe046c52a97f7a2fd5a735d

Path	Size (bytes)	Type	Entropy	SHA-256
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/cppgc/ephemeron-pair.h	804	text/plain	5.2672	bee39f129b2597a9c34a579829fe720f3d71f5cf737918530aab81ead99b1e7f
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/cppgc/explicit-management.h	3370	text/plain	4.9278	17772b2437ac8463b95dd331c2e7be371f3bb89c933c7cff0bfc09a254d94106
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/cppgc/garbage-collected.h	3183	text/plain	4.9707	9e6684f6d11904d1ab201514fbceadaf305431904b6a373b836c3c5a4de7cd90
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/cppgc/heap-consistency.h	12021	text/plain	4.6988	12d8f696a9f983d6a3a89d08e1777bf984483dc5b0816c328d295a80921ff211
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/cppgc/heap-handle.h	1289	text/plain	5.0159	29e12945e9bc2b6382e97d1527b19d858e54c75149a09107c29bffa53f3c8ad9
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/cppgc/heap-state.h	2632	text/plain	4.7352	9e4ac38fc7e351a3138c3c99e5ea6a09e61e6ddd8b02b4fc2e48100199e9dadc
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/cppgc/heap-statistics.h	3982	text/plain	4.6764	744fc9a47261fa62c86a07cf1d50cd6ab78caed42c1977dbad9abd3f6f054538
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/cppgc/heap.h	5834	text/plain	4.6814	2afd83536f15879b859f9f12ca341aff9c462aa541769d0744025daefd92f5a9
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/cppgc/internal/api-constants.h	2901	text/plain	5.2958	9047fab8bd2e0eccab32595176582d1034a0ab7eb5935708280ee2ac6b278f42
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/cppgc/internal/atomic-entry-flag.h	1763	text/plain	4.9275	270e86353643206f2a15023f7c8b9d0d6f16393f8407b48b006fba1e45068ff9
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/cppgc/internal/base-page-handle.h	1472	text/plain	5.1181	d3701ae9493a9e7abdb6003cb2cf582e7fc4fda326d8df78cc08464f0b55a40f
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/cppgc/internal/caged-heap-local-data.h	3696	text/plain	5.1818	770367e6a4a99fd453452f7df143377ad703e6827a0e35aa129672af742bacfb
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/cppgc/internal/caged-heap.h	2264	text/plain	5.1942	f0a1fe3f882b5f86def20adc4c91d17462cb80fd118abefbae9bc4c050cc4d0e
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/cppgc/internal/compiler-specific.h	1019	text/plain	5.3082	c4e4b980874119f3dbaa9f4875d6f64f5b23299f876ba7024b34953217216ca8
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/cppgc/internal/finalizer-trait.h	2656	text/plain	5.0637	249dc1add987c14d9f94d342828d3341192656557a5603eb3259bde07e808b80
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/cppgc/internal/gc-info.h	6461	text/plain	4.8845	ef8a240ac79b53c5605ab204e6d9f2a061f99717b8cc58b6c2d650392cc9ce0c
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/cppgc/internal/logging.h	1702	text/plain	4.9573	63a56e9d9feebb29d49b247590a47d5d62c5b55cfb177535e372e5888509d200
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/cppgc/internal/member-storage.h	8904	text/plain	5.1218	77e341ca37f98a3d91207e047d14599cea70dff84694429dcdbc994f6f5b6de6
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/cppgc/internal/name-trait.h	4180	text/plain	5.2498	c60c805cd15541fe98a5489ea311ba011fd16f7a2812600a54efe4f77ad4f0b2
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/cppgc/internal/persistent-node.h	6032	text/plain	4.9453	20a648a3d6c0b448ebe8c6be3137d59319a6182ac83aab90caf8bdf59079fe8e
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/cppgc/internal/pointer-policies.h	8540	text/plain	5.0696	387f1dbe91157a65cbee581bab2da0fc3f0e1d706e4bf75730c0ab85a998a6a3
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/cppgc/internal/write-barrier.h	19548	text/plain	4.8706	25444565b9c2f4dae373cc25b69e72ca411cffe87e7a4a985c4f8e5b310144dd

Path	Size (bytes)	Type	Entropy	SHA-256
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/cppgc/liveness-broker.h	2396	text/plain	5.0839	4390c573e7a792598e1f7d4d000ba345d0d3d627cf98c6f9f4094ef106084ccb
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/cppgc/macros.h	1345	text/plain	4.8995	a26d991809558ee3932ff97cfaa5d30adc33f1a92a1840c5c542cc9519393968
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/cppgc/member.h	24114	text/plain	4.9247	4a62cf6e023f2451b9b7a57f0e8f80b74e817815f0cb6c739f0a9a370b52c0af
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/cppgc/name-provider.h	2034	text/plain	5.0082	15f31cdf3986f92bad4997fcfed4de53693fb1174a391fec33f757c5dac48444
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/cppgc/object-size-trait.h	1643	text/plain	5.1610	b595c4cb82e4923f67cf207382b518751667be55ee86086b6b8eedaf5baa1b35
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/cppgc/persistent.h	13937	text/plain	4.7665	4c02f981125fd501d7f58d841da94cbb8015ebe1847966c2339db4e311b50dce
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/cppgc/platform.h	6042	text/plain	4.9176	63d96c1fe154fee8249c641d22392cf8d37b03c22ffd624b7f9b264a3ff90fb3
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/cppgc/prefinalizer.h	2944	text/plain	4.4861	a166ad493a02e382acb093bfd56425ac177504aedcc650ac4dd37f7de38ce56b
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/cppgc/process-heap-statistics.h	1009	text/plain	5.0903	97831f0ab6b7b7932fcf045b15ca66289eaf9a3218850a6672b7253e59846d44
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/cppgc/sentinel-pointer.h	1208	text/plain	5.0712	13f78abbe810a9959bb2126a5ca4de7795fe0c7b21c18a261cd278bfa4035fd7
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/cppgc/source-location.h	414	text/plain	5.2186	aadb7df97fbe5320787b16ae01d0de46f95054846908406b3ec72914b48942fa
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/cppgc/testing.h	3033	text/plain	4.8498	d7e6d067eb779d41fc790854dcb2d8e8f58af3a7595979000c8929c83bde86e1
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/cppgc/trace-trait.h	3479	text/plain	4.8703	950993565adb04dba8c6a991c62f5f4878325258b3801853577b4f44e97a5aec
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/cppgc/type-traits.h	8656	text/plain	4.9612	531c1c6e4b6a7506b5d7ce67af8e623bd3e317885981a122ba3e0590b10f12ba
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/cppgc/visitor.h	18516	text/plain	4.8815	f15c1a9e2b633b28326d30e5ad9b0e1ec3c22e77647547864a27ac1e22949dc6
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/js_native_api.h	32182	text/plain	3.9056	89393f07881fcba3ed097a5989fba1746f1c2cf611f19ba4dcb17071da8a661e
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/js_native_api_types.h	7033	text/plain	4.8803	0410c31e227f81e2981363c4d543f4832ac3df785343ec64cee621742ff8a034
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/libplatform/libplatform-export.h	804	text/plain	5.3302	4e9c163e7e549f6e973a6ad951056c2dae71e2eb8d1673cc5889e34ec40e43d0
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/libplatform/libplatform.h	4506	text/plain	4.9998	505c159596da96cdffa0d8f6467061b4218bb86a1de37133b96b88bf2d106253
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/libplatform/v8-tracing.h	11073	text/plain	5.0746	e1e0e8de8f199e3df4f6beb9ea7b2ad8ad183f4631c51b1beb5cf018734b2877
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/node.h	69173	text/plain	4.8429	a3955ed95357cf88db2e7f29c57cd594fad5f78b001279b48e59db2942b50972
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/node_api.h	10275	text/plain	4.5333	55531cac9162bd3ee9cce7b98d4b9ae91d78bc2b817a72ebb1cdfa6bfbf92b0d
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/node_api_types.h	1603	text/plain	4.9923	8d5d854088d5725fec9775510e0aeeeb790a41ad083c49bb721d950b86e6bd61
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/node_buffer.h	3684	text/plain	4.8868	48077ade87e863a88e75a74c61fd948cb9ae16d7546cc5d61e1207fc95a7ac48
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/node_object_wrap.h	3867	text/plain	5.1839	c16090af77c11039e6982761b71ad555f08cceb9bf800791048d4311bd839e99
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/node_version.h	4242	text/plain	5.2050	920f21651d111995bd42918a051ccbaa702c424b60be53c042f6b9adc6d3fc31
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/aes.h	3752	text/plain	4.8204	27aaa89367b022b12b66cf52c3c2d68f6761965ac36f3f1153202fa44692ad0e

Path	Size (bytes)	Type	Entropy	SHA-256
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm/crypto/buildinf.h	1426	text/plain	4.5817	5bf221bfa4944f128b7d1c45e8a8d17c0eb415c8686fa05513ac44f25cea905f
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm/include/crypto/bn_conf.h	837	text/plain	5.1045	5b2a025fa5147d6a92dc9f48863ce1485756def875f1d30f52d92f0057aa5b26
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm/include/crypto/dso_conf.h	582	text/plain	5.1335	80a640ddd26cc8414cfbab7bf6cf208d15901ec0844ef3917c1f8ea6dd9cc66e
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm/include/openssl/asn1.h	60914	text/plain	5.2590	5d6c3a8c878bafcadfc582776265c46c9338a0ff6825a6f5ac2e9bda721959da
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm/include/openssl/asn1t.h	35937	text/plain	4.9732	a3c3f5b114cb48eee9fc7a4cabec55c895de8edc592753a46c40c650a90200cb
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm/include/openssl/bio.h	39844	text/plain	5.0748	4ca14c78a7d22dace2c9447483ea95b9b9862e628ae38c99bd1c0c83214fbff7
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm/include/openssl/cmp.h	41123	text/plain	5.1760	dd97023fb4cd6797be58ca9cfcd65b6cb74045fd6068fc23d5dca1a45926ec6a
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm/include/openssl/cms.h	34081	text/plain	4.9252	d9ab5e872b5fcffe83aba492b1ef3ea01cd9fc0e39f375e6a5d969d0503c7759
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm/include/openssl/conf.h	10485	text/plain	5.2294	242d80993db5c77fc7a689b85019fe98ddf3273454256b44f02bd22f6f572c48
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm/include/openssl/configuration.h	3008	text/plain	5.0565	82713e4cf15e22def252fbc4cccaf2ceaee19c9a64134eb374246709160271da
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm/include/openssl/crmf.h	14644	text/plain	5.1728	82845b3e6709944bd15b51b29ea4759f0ada0155490580e7c63dbd82a367ee74
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm/include/openssl/crypto.h	23945	text/plain	5.1797	2ed5e2353be9cce5a0ce0478253ee938f72ef600422a6cc0681536434b4b72a8
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm/include/openssl/ct.h	22765	text/plain	5.0840	67ac51cc9f39d5674eb1cd9e8282fe1ed2da84db50c1ac9aaeaac9c8f2b236d3
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm/include/openssl/err.h	21978	text/plain	5.0485	3cc1e1dbda3781fec4f515b1d61e31c39c6e76b802b3150e7c977b0b0a213608
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm/include/openssl/ess.h	8968	text/plain	5.0184	9da64664080d13f1f541f425dbac6305159d6c47309121427d77c67744c88de0
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm/include/openssl/fipskey.h	1010	text/plain	5.2829	056f3c751af11919d3b7c87c33d5f014453a65bf82e95a7e2355149d5a718d3d
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm/include/openssl/lhash.h	14061	text/plain	5.0935	5c8983ed315c545b091df0aabc2ce42392f573ec112894a74727211ff0552a1f
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm/include/openssl/ocsp.h	29352	text/plain	5.1686	0e229d683a7e716a3834157218f692f0db7996f4b473da08c57ffdffbd661eb3
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm/include/openssl/opensslv.h	3206	text/plain	5.2494	674f13fcee82d96b271b52da5d63eba8e152e7b04761f7909e75774b0ff7e096
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm/include/openssl/pkcs12.h	19316	text/plain	4.8484	e4d337e42421cc7b6686ff1f8fbee746672402c95ea41711c26b120158508b3b
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm/include/openssl/pkcs7.h	22422	text/plain	5.2774	89250f71cb91a84ad3f718269d133a9565888b4b2d7e1a89a6472673c5edd3c4

Path	Size (bytes)	Type	Entropy	SHA-256
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm/include/openssl/safestack.h	18439	text/plain	5.1322	19ee08576dd9663c91a68ead50a8de4da6c6eb80bc67526b59015c766ddfec33
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm/include/openssl/srp.h	15487	text/plain	5.1464	7f8fe9346e7b96fffab973029ebc955c6bb89e7556391281b0dd49205d49e33c
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm/include/openssl/ssl.h	127787	text/plain	4.9934	5cde1092068b9dcf783e2cf079032a8938dc639df9f5d5e7e01ea69a43e481ca
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm/include/openssl/ui.h	19251	text/plain	4.8591	71663d97e048fd14e4652af8402acb72200784b1940bd70b39b442c6d5c99bd9
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm/include/openssl/x509.h	71548	text/plain	5.2900	83e45fe8bf3c36c1c7926fdb4bddb1ffbbe4cc2338eb96bba7d1c71f10b70211
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm/include/openssl/x509_vfy.h	52027	text/plain	5.2036	565a4a3c00b770e7941ae6b969000bf6fbbe7644d67e6faacc81c32766ca9886
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm/include/openssl/x509v3.h	93968	text/plain	5.3537	0cd069b20f7f5c117ffac07a4d59a319cf5bcb2a36da07d2675f04d5cfc5b296
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm/include/progs.h	4986	text/plain	4.8320	d696d55cd816566a7418d04a822c3f0731c84534d204df4eb147282e4e662d87
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm/providers/common/include/prov/der_digests.h	6130	text/plain	5.4049	79ebec0a25afb8ba4aa63fdb7021b7a988241289fe588108c8975360a6f6dd89
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm/providers/common/include/prov/der_dsa.h	3871	text/plain	5.3546	e9eacfd0ce9fb52881d9eb7728feb1de0117f2458b3407bb5fffec84c6f51850
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm/providers/common/include/prov/der_ec.h	11338	text/plain	5.4695	0768ef2c01051ea1b715aa08ba12f18e54fc3aaf943a57b23bd32e203f0935d8
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm/providers/common/include/prov/der_ecx.h	1819	text/plain	5.4553	2ce0aae458cec7678368a096cd6ca012fbab5b794dd43db41b6f1539e1876388
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm/providers/common/include/prov/der_rsa.h	8445	text/plain	5.4306	9307942ac058a50e047cd16e31b56d6aa17ff0b55eb3ec01a82496de281fdfd0
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm/providers/common/include/prov/der_sm2.h	1314	text/plain	5.3291	077d3dd0b53847b35ad051d6c8e130bb6ad55ee8ceb7e3f72609a10ca5506fa0
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm/providers/common/include/prov/der_wrap.h	1746	text/plain	5.4517	878f6b253c6e7e4f964caa94fb4e81d6aa687f41e172655fbd9f1f6cbdd47dc3
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm_avx2/crypto/buildinf.h	1503	text/plain	4.5229	4160f0ee9978209bf017f1c7ab82352929cf4021be701c63d50f768bd8fa6321
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm_avx2/include/crypto/bn_conf.h	837	text/plain	5.1045	5b2a025fa5147d6a92dc9f48863ce1485756def875f1d30f52d92f0057aa5b26
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm_avx2/include/crypto/dso_conf.h	582	text/plain	5.1335	80a640ddd26cc8414cfbab7bf6cf208d15901ec0844ef3917c1f8ea6dd9cc66e
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm_avx2/include/openssl/asn1.h	60914	text/plain	5.2590	5d6c3a8c878bafcadfc582776265c46c9338a0ff6825a6f5ac2e9bda721959da

Path	Size (bytes)	Type	Entropy	SHA-256
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm_avx2/include/openssl/asn1t.h	35937	text/plain	4.9732	a3c3f5b114cb48eee9fc7a4cabec55c895de8edc592753a46c40c650a90200cb
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm_avx2/include/openssl/bio.h	39844	text/plain	5.0748	4ca14c78a7d22dace2c9447483ea95b9b9862e628ae38c99bd1c0c83214fbff7
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm_avx2/include/openssl/cmp.h	41123	text/plain	5.1760	dd97023fb4cd6797be58ca9cfcd65b6cb74045fd6068fc23d5dca1a45926ec6a
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm_avx2/include/openssl/cms.h	34081	text/plain	4.9252	d9ab5e872b5fcffe83aba492b1ef3ea01cd9fc0e39f375e6a5d969d0503c7759
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm_avx2/include/openssl/conf.h	10485	text/plain	5.2294	242d80993db5c77fc7a689b85019fe98ddf3273454256b44f02bd22f6f572c48
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm_avx2/include/openssl/configuration.h	3008	text/plain	5.0565	82713e4cf15e22def252fbc4cccaf2ceaee19c9a64134eb374246709160271da
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm_avx2/include/openssl/crmf.h	14644	text/plain	5.1728	82845b3e6709944bd15b51b29ea4759f0ada0155490580e7c63dbd82a367ee74
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm_avx2/include/openssl/crypto.h	23945	text/plain	5.1797	2ed5e2353be9cce5a0ce0478253ee938f72ef600422a6cc0681536434b4b72a8
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm_avx2/include/openssl/ct.h	22765	text/plain	5.0840	67ac51cc9f39d5674eb1cd9e8282fe1ed2da84db50c1ac9aaeaac9c8f2b236d3
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm_avx2/include/openssl/err.h	21978	text/plain	5.0485	3cc1e1dbda3781fec4f515b1d61e31c39c6e76b802b3150e7c977b0b0a213608
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm_avx2/include/openssl/ess.h	8968	text/plain	5.0184	9da64664080d13f1f541f425dbac6305159d6c47309121427d77c67744c88de0
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm_avx2/include/openssl/fipskey.h	1010	text/plain	5.2829	056f3c751af11919d3b7c87c33d5f014453a65bf82e95a7e2355149d5a718d3d
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm_avx2/include/openssl/lhash.h	14061	text/plain	5.0935	5c8983ed315c545b091df0aabc2ce42392f573ec112894a74727211ff0552a1f
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm_avx2/include/openssl/ocsp.h	29352	text/plain	5.1686	0e229d683a7e716a3834157218f692f0db7996f4b473da08c57ffdffbd661eb3
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm_avx2/include/openssl/opensslv.h	3206	text/plain	5.2494	674f13fcee82d96b271b52da5d63eba8e152e7b04761f7909e75774b0ff7e096
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm_avx2/include/openssl/pkcs12.h	19316	text/plain	4.8484	e4d337e42421cc7b6686ff1f8fbee746672402c95ea41711c26b120158508b3b
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm_avx2/include/openssl/pkcs7.h	22422	text/plain	5.2774	89250f71cb91a84ad3f718269d133a9565888b4b2d7e1a89a6472673c5edd3c4
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm_avx2/include/openssl/safestack.h	18439	text/plain	5.1322	19ee08576dd9663c91a68ead50a8de4da6c6eb80bc67526b59015c766ddfec33
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm_avx2/include/openssl/srp.h	15487	text/plain	5.1464	7f8fe9346e7b96fffab973029ebc955c6bb89e7556391281b0dd49205d49e33c
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm_avx2/include/openssl/ssl.h	127787	text/plain	4.9934	5cde1092068b9dcf783e2cf079032a8938dc639df9f5d5e7e01ea69a43e481ca
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm_avx2/include/openssl/ui.h	19251	text/plain	4.8591	71663d97e048fd14e4652af8402acb72200784b1940bd70b39b442c6d5c99bd9

Path	Size (bytes)	Type	Entropy	SHA-256
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm_avx2/include/openssl/x509.h	71548	text/plain	5.2900	83e45fe8bf3c36c1c7926fdb4bddb1ffbbe4cc2338eb96bba7d1c71f10b70211
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm_avx2/include/openssl/x509_vfy.h	52027	text/plain	5.2036	565a4a3c00b770e7941ae6b969000bf6fbbe7644d67e6faacc81c32766ca9886
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm_avx2/include/openssl/x509v3.h	93968	text/plain	5.3537	0cd069b20f7f5c117ffac07a4d59a319cf5bcb2a36da07d2675f04d5cfc5b296
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm_avx2/include/progs.h	4986	text/plain	4.8320	d696d55cd816566a7418d04a822c3f0731c84534d204df4eb147282e4e662d87
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm_avx2/providers/common/include/prov/der_digests.h	6130	text/plain	5.4049	79ebec0a25afb8ba4aa63fdb7021b7a988241289fe588108c8975360a6f6dd89
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm_avx2/providers/common/include/prov/der_dsa.h	3871	text/plain	5.3546	e9eacfd0ce9fb52881d9eb7728feb1de0117f2458b3407bb5fffec84c6f51850
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm_avx2/providers/common/include/prov/der_ec.h	11338	text/plain	5.4695	0768ef2c01051ea1b715aa08ba12f18e54fc3aaf943a57b23bd32e203f0935d8
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm_avx2/providers/common/include/prov/der_ecx.h	1819	text/plain	5.4553	2ce0aae458cec7678368a096cd6ca012fbab5b794dd43db41b6f1539e1876388
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm_avx2/providers/common/include/prov/der_rsa.h	8445	text/plain	5.4306	9307942ac058a50e047cd16e31b56d6aa17ff0b55eb3ec01a82496de281fdfd0
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm_avx2/providers/common/include/prov/der_sm2.h	1314	text/plain	5.3291	077d3dd0b53847b35ad051d6c8e130bb6ad55ee8ceb7e3f72609a10ca5506fa0
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/asm_avx2/providers/common/include/prov/der_wrap.h	1746	text/plain	5.4517	878f6b253c6e7e4f964caa94fb4e81d6aa687f41e172655fbd9f1f6cbdd47dc3
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/no-asm/crypto/buildinf.h	1345	text/plain	4.6573	70f06b57ee3078e44961e2abadb20cad71d00547083168f8d1489581a73f67a0
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/no-asm/include/crypto/bn_conf.h	837	text/plain	5.1045	5b2a025fa5147d6a92dc9f48863ce1485756def875f1d30f52d92f0057aa5b26
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/no-asm/include/crypto/dso_conf.h	582	text/plain	5.1335	80a640ddd26cc8414cfbab7bf6cf208d15901ec0844ef3917c1f8ea6dd9cc66e
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/no-asm/include/openssl/asn1.h	60914	text/plain	5.2590	5d6c3a8c878bafcadfc582776265c46c9338a0ff6825a6f5ac2e9bda721959da
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/no-asm/include/openssl/asn1t.h	35937	text/plain	4.9732	a3c3f5b114cb48eee9fc7a4cabec55c895de8edc592753a46c40c650a90200cb
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/no-asm/include/openssl/bio.h	39844	text/plain	5.0748	4ca14c78a7d22dace2c9447483ea95b9b9862e628ae38c99bd1c0c83214fbff7
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/no-asm/include/openssl/cmp.h	41123	text/plain	5.1760	dd97023fb4cd6797be58ca9cfcd65b6cb74045fd6068fc23d5dca1a45926ec6a
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/no-asm/include/openssl/cms.h	34081	text/plain	4.9252	d9ab5e872b5fcffe83aba492b1ef3ea01cd9fc0e39f375e6a5d969d0503c7759

Path	Size (bytes)	Type	Entropy	SHA-256
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/no-asm/include/openssl/conf.h	10485	text/plain	5.2294	242d80993db5c77fc7a689b85019fe98ddf3273454256b44f02bd22f6f572c48
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/no-asm/include/openssl/configuration.h	3065	text/plain	5.0458	88ba0a435180b3e1b0a2bd468aaa5cf3a03dd1c7fce316a1402319bfe7b83881
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/no-asm/include/openssl/crmf.h	14644	text/plain	5.1728	82845b3e6709944bd15b51b29ea4759f0ada0155490580e7c63dbd82a367ee74
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/no-asm/include/openssl/crypto.h	23945	text/plain	5.1797	2ed5e2353be9cce5a0ce0478253ee938f72ef600422a6cc0681536434b4b72a8
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/no-asm/include/openssl/ct.h	22765	text/plain	5.0840	67ac51cc9f39d5674eb1cd9e8282fe1ed2da84db50c1ac9aaeaac9c8f2b236d3
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/no-asm/include/openssl/err.h	21978	text/plain	5.0485	3cc1e1dbda3781fec4f515b1d61e31c39c6e76b802b3150e7c977b0b0a213608
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/no-asm/include/openssl/ess.h	8968	text/plain	5.0184	9da64664080d13f1f541f425dbac6305159d6c47309121427d77c67744c88de0
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/no-asm/include/openssl/fipskey.h	1010	text/plain	5.2829	056f3c751af11919d3b7c87c33d5f014453a65bf82e95a7e2355149d5a718d3d
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/no-asm/include/openssl/lhash.h	14061	text/plain	5.0935	5c8983ed315c545b091df0aabc2ce42392f573ec112894a74727211ff0552a1f
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/no-asm/include/openssl/ocsp.h	29352	text/plain	5.1686	0e229d683a7e716a3834157218f692f0db7996f4b473da08c57ffdffbd661eb3
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/no-asm/include/openssl/opensslv.h	3206	text/plain	5.2494	674f13fcee82d96b271b52da5d63eba8e152e7b04761f7909e75774b0ff7e096
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/no-asm/include/openssl/pkcs12.h	19316	text/plain	4.8484	e4d337e42421cc7b6686ff1f8fbee746672402c95ea41711c26b120158508b3b
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/no-asm/include/openssl/pkcs7.h	22422	text/plain	5.2774	89250f71cb91a84ad3f718269d133a9565888b4b2d7e1a89a6472673c5edd3c4
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/no-asm/include/openssl/safestack.h	18439	text/plain	5.1322	19ee08576dd9663c91a68ead50a8de4da6c6eb80bc67526b59015c766ddfec33
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/no-asm/include/openssl/srp.h	15487	text/plain	5.1464	7f8fe9346e7b96fffab973029ebc955c6bb89e7556391281b0dd49205d49e33c
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/no-asm/include/openssl/ssl.h	127787	text/plain	4.9934	5cde1092068b9dcf783e2cf079032a8938dc639df9f5d5e7e01ea69a43e481ca
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/no-asm/include/openssl/ui.h	19251	text/plain	4.8591	71663d97e048fd14e4652af8402acb72200784b1940bd70b39b442c6d5c99bd9
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/no-asm/include/openssl/x509.h	71548	text/plain	5.2900	83e45fe8bf3c36c1c7926fdb4bddb1ffbbe4cc2338eb96bba7d1c71f10b70211
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/no-asm/include/openssl/x509_vfy.h	52027	text/plain	5.2036	565a4a3c00b770e7941ae6b969000bf6fbbe7644d67e6faacc81c32766ca9886
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/no-asm/include/openssl/x509v3.h	93968	text/plain	5.3537	0cd069b20f7f5c117ffac07a4d59a319cf5bcb2a36da07d2675f04d5cfc5b296
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/no-asm/include/progs.h	4986	text/plain	4.8320	d696d55cd816566a7418d04a822c3f0731c84534d204df4eb147282e4e662d87
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-	6130	text/plain	5.4049	79ebec0a25afb8ba4aa63fdb7021b7a988241289fe588108c8975360a6f6dd89

Path	Size (bytes)	Type	Entropy	SHA-256
x86/no-asm/providers/common/include/prov/der_digests.h				
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/no-asm/providers/common/include/prov/der_dsa.h	3871	text/plain	5.3546	e9eacfd0ce9fb52881d9eb7728feb1de0117f2458b3407bb5fffec84c6f51850
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/no-asm/providers/common/include/prov/der_ec.h	11338	text/plain	5.4695	0768ef2c01051ea1b715aa08ba12f18e54fc3aaf943a57b23bd32e203f0935d8
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/no-asm/providers/common/include/prov/der_ecx.h	1819	text/plain	5.4553	2ce0aae458cec7678368a096cd6ca012fbab5b794dd43db41b6f1539e1876388
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/no-asm/providers/common/include/prov/der_rsa.h	8445	text/plain	5.4306	9307942ac058a50e047cd16e31b56d6aa17ff0b55eb3ec01a82496de281fdfd0
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/no-asm/providers/common/include/prov/der_sm2.h	1314	text/plain	5.3291	077d3dd0b53847b35ad051d6c8e130bb6ad55ee8ceb7e3f72609a10ca5506fa0
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86/no-asm/providers/common/include/prov/der_wrap.h	1746	text/plain	5.4517	878f6b253c6e7e4f964caa94fb4e81d6aa687f41e172655fbd9f1f6cbdd47dc3
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm/crypto/buildinf.h	1340	text/plain	4.6754	0a394cee02d7bb8ed714963fa5cee3b340570d4b3fcaad53dc4d553e6627f91e
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm/include/crypto/bn_conf.h	837	text/plain	5.1045	5f2936059df6a332fc67940c630bacaa23594d43d6cf39c37c286e47f136197c
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm/include/crypto/dso_conf.h	582	text/plain	5.1335	80a640ddd26cc8414cfbab7bf6cf208d15901ec0844ef3917c1f8ea6dd9cc66e
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm/include/openssl/asn1.h	60914	text/plain	5.2590	5d6c3a8c878bafcadfc582776265c46c9338a0ff6825a6f5ac2e9bda721959da
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm/include/openssl/asn1t.h	35937	text/plain	4.9732	a3c3f5b114cb48eee9fc7a4cabec55c895de8edc592753a46c40c650a90200cb
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm/include/openssl/bio.h	39844	text/plain	5.0748	4ca14c78a7d22dace2c9447483ea95b9b9862e628ae38c99bd1c0c83214fbff7
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm/include/openssl/cmp.h	41123	text/plain	5.1760	dd97023fb4cd6797be58ca9cfcd65b6cb74045fd6068fc23d5dca1a45926ec6a
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm/include/openssl/cms.h	34081	text/plain	4.9252	d9ab5e872b5fcffe83aba492b1ef3ea01cd9fc0e39f375e6a5d969d0503c7759
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm/include/openssl/conf.h	10485	text/plain	5.2294	242d80993db5c77fc7a689b85019fe98ddf3273454256b44f02bd22f6f572c48
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm/include/openssl/configuration.h	3007	text/plain	5.0577	7744fe7b6f270d92a4b14ac04d4acfaeca4a2296160124ef5023c522f0f2c630
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm/include/openssl/crmf.h	14644	text/plain	5.1728	82845b3e6709944bd15b51b29ea4759f0ada0155490580e7c63dbd82a367ee74
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm/include/openssl/crypto.h	23945	text/plain	5.1797	2ed5e2353be9cce5a0ce0478253ee938f72ef600422a6cc0681536434b4b72a8
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm/include/openssl/ct.h	22765	text/plain	5.0840	67ac51cc9f39d5674eb1cd9e8282fe1ed2da84db50c1ac9aaeaac9c8f2b236d3

Path	Size (bytes)	Type	Entropy	SHA-256
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm/include/openssl/err.h	21978	text/plain	5.0485	3cc1e1dbda3781fec4f515b1d61e31c39c6e76b802b3150e7c977b0b0a213608
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm/include/openssl/ess.h	8968	text/plain	5.0184	9da64664080d13f1f541f425dbac6305159d6c47309121427d77c67744c88de0
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm/include/openssl/fipskey.h	1010	text/plain	5.2829	056f3c751af11919d3b7c87c33d5f014453a65bf82e95a7e2355149d5a718d3d
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm/include/openssl/lhash.h	14061	text/plain	5.0935	5c8983ed315c545b091df0aabc2ce42392f573ec112894a74727211ff0552a1f
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm/include/openssl/ocsp.h	29352	text/plain	5.1686	0e229d683a7e716a3834157218f692f0db7996f4b473da08c57ffdffbd661eb3
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm/include/openssl/opensslv.h	3206	text/plain	5.2494	674f13fcee82d96b271b52da5d63eba8e152e7b04761f7909e75774b0ff7e096
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm/include/openssl/pkcs12.h	19316	text/plain	4.8484	e4d337e42421cc7b6686ff1f8fbee746672402c95ea41711c26b120158508b3b
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm/include/openssl/pkcs7.h	22422	text/plain	5.2774	89250f71cb91a84ad3f718269d133a9565888b4b2d7e1a89a6472673c5edd3c4
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm/include/openssl/safestack.h	18439	text/plain	5.1322	19ee08576dd9663c91a68ead50a8de4da6c6eb80bc67526b59015c766ddfec33
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm/include/openssl/srp.h	15487	text/plain	5.1464	7f8fe9346e7b96fffab973029ebc955c6bb89e7556391281b0dd49205d49e33c
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm/include/openssl/ssl.h	127787	text/plain	4.9934	5cde1092068b9dcf783e2cf079032a8938dc639df9f5d5e7e01ea69a43e481ca
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm/include/openssl/ui.h	19251	text/plain	4.8591	71663d97e048fd14e4652af8402acb72200784b1940bd70b39b442c6d5c99bd9
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm/include/openssl/x509.h	71548	text/plain	5.2900	83e45fe8bf3c36c1c7926fdb4bddb1ffbbe4cc2338eb96bba7d1c71f10b70211
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm/include/openssl/x509_vfy.h	52027	text/plain	5.2036	565a4a3c00b770e7941ae6b969000bf6fbbe7644d67e6faacc81c32766ca9886
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm/include/openssl/x509v3.h	93968	text/plain	5.3537	0cd069b20f7f5c117ffac07a4d59a319cf5bcb2a36da07d2675f04d5cfc5b296
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm/include/progs.h	4986	text/plain	4.8320	d696d55cd816566a7418d04a822c3f0731c84534d204df4eb147282e4e662d87
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm/providers/common/include/prov/der_digests.h	6130	text/plain	5.4049	79ebec0a25afb8ba4aa63fdb7021b7a988241289fe588108c8975360a6f6dd89
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm/providers/common/include/prov/der_dsa.h	3871	text/plain	5.3546	e9eacfd0ce9fb52881d9eb7728feb1de0117f2458b3407bb5fffec84c6f51850
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm/providers/common/include/prov/der_ec.h	11338	text/plain	5.4695	0768ef2c01051ea1b715aa08ba12f18e54fc3aaf943a57b23bd32e203f0935d8
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm/providers/common/include/prov/der_ecx.h	1819	text/plain	5.4553	2ce0aae458cec7678368a096cd6ca012fbab5b794dd43db41b6f1539e1876388

Path	Size (bytes)	Type	Entropy	SHA-256
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm/providers/common/include/prov/der_rsa.h	8445	text/plain	5.4306	9307942ac058a50e047cd16e31b56d6aa17ff0b55eb3ec01a82496de281fdfd0
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm/providers/common/include/prov/der_sm2.h	1314	text/plain	5.3291	077d3dd0b53847b35ad051d6c8e130bb6ad55ee8ceb7e3f72609a10ca5506fa0
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm/providers/common/include/prov/der_wrap.h	1746	text/plain	5.4517	878f6b253c6e7e4f964caa94fb4e81d6aa687f41e172655fbd9f1f6cbdd47dc3
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm_avx2/crypto/buildinf.h	1417	text/plain	4.6095	1d6a451ea52f17dfab6ab141a5219885463c0621318b4233671bb6ea0ed45193
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm_avx2/include/crypto/bn_conf.h	837	text/plain	5.1045	5f2936059df6a332fc67940c630bacaa23594d43d6cf39c37c286e47f136197c
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm_avx2/include/crypto/dso_conf.h	582	text/plain	5.1335	80a640ddd26cc8414cfbab7bf6cf208d15901ec0844ef3917c1f8ea6dd9cc66e
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm_avx2/include/openssl/asn1.h	60914	text/plain	5.2590	5d6c3a8c878bafcadfc582776265c46c9338a0ff6825a6f5ac2e9bda721959da
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm_avx2/include/openssl/asn1t.h	35937	text/plain	4.9732	a3c3f5b114cb48eee9fc7a4cabec55c895de8edc592753a46c40c650a90200cb
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm_avx2/include/openssl/bio.h	39844	text/plain	5.0748	4ca14c78a7d22dace2c9447483ea95b9b9862e628ae38c99bd1c0c83214fbff7
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm_avx2/include/openssl/cmp.h	41123	text/plain	5.1760	dd97023fb4cd6797be58ca9cfcd65b6cb74045fd6068fc23d5dca1a45926ec6a
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm_avx2/include/openssl/cms.h	34081	text/plain	4.9252	d9ab5e872b5fcffe83aba492b1ef3ea01cd9fc0e39f375e6a5d969d0503c7759
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm_avx2/include/openssl/conf.h	10485	text/plain	5.2294	242d80993db5c77fc7a689b85019fe98ddf3273454256b44f02bd22f6f572c48
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm_avx2/include/openssl/configuration.h	3007	text/plain	5.0577	7744fe7b6f270d92a4b14ac04d4acfaeca4a2296160124ef5023c522f0f2c630
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm_avx2/include/openssl/crmf.h	14644	text/plain	5.1728	82845b3e6709944bd15b51b29ea4759f0ada0155490580e7c63dbd82a367ee74
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm_avx2/include/openssl/crypto.h	23945	text/plain	5.1797	2ed5e2353be9cce5a0ce0478253ee938f72ef600422a6cc0681536434b4b72a8
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm_avx2/include/openssl/ct.h	22765	text/plain	5.0840	67ac51cc9f39d5674eb1cd9e8282fe1ed2da84db50c1ac9aaeaac9c8f2b236d3
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm_avx2/include/openssl/err.h	21978	text/plain	5.0485	3cc1e1dbda3781fec4f515b1d61e31c39c6e76b802b3150e7c977b0b0a213608
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm_avx2/include/openssl/ess.h	8968	text/plain	5.0184	9da64664080d13f1f541f425dbac6305159d6c47309121427d77c67744c88de0
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm_avx2/include/openssl/fipskey.h	1010	text/plain	5.2829	056f3c751af11919d3b7c87c33d5f014453a65bf82e95a7e2355149d5a718d3d
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm_avx2/include/openssl/lhash.h	14061	text/plain	5.0935	5c8983ed315c545b091df0aabc2ce42392f573ec112894a74727211ff0552a1f

Path	Size (bytes)	Type	Entropy	SHA-256
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm_avx2/include/openssl/ocsp.h	29352	text/plain	5.1686	0e229d683a7e716a3834157218f692f0db7996f4b473da08c57ffdffbd661eb3
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm_avx2/include/openssl/opensslv.h	3206	text/plain	5.2494	674f13fcee82d96b271b52da5d63eba8e152e7b04761f7909e75774b0ff7e096
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm_avx2/include/openssl/pkcs12.h	19316	text/plain	4.8484	e4d337e42421cc7b6686ff1f8fbee746672402c95ea41711c26b120158508b3b
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm_avx2/include/openssl/pkcs7.h	22422	text/plain	5.2774	89250f71cb91a84ad3f718269d133a9565888b4b2d7e1a89a6472673c5edd3c4
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm_avx2/include/openssl/safestack.h	18439	text/plain	5.1322	19ee08576dd9663c91a68ead50a8de4da6c6eb80bc67526b59015c766ddfec33
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm_avx2/include/openssl/srp.h	15487	text/plain	5.1464	7f8fe9346e7b96fffab973029ebc955c6bb89e7556391281b0dd49205d49e33c
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm_avx2/include/openssl/ssl.h	127787	text/plain	4.9934	5cde1092068b9dcf783e2cf079032a8938dc639df9f5d5e7e01ea69a43e481ca
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm_avx2/include/openssl/ui.h	19251	text/plain	4.8591	71663d97e048fd14e4652af8402acb72200784b1940bd70b39b442c6d5c99bd9
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm_avx2/include/openssl/x509.h	71548	text/plain	5.2900	83e45fe8bf3c36c1c7926fdb4bddb1ffbbe4cc2338eb96bba7d1c71f10b70211
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm_avx2/include/openssl/x509_vfy.h	52027	text/plain	5.2036	565a4a3c00b770e7941ae6b969000bf6fbbe7644d67e6faacc81c32766ca9886
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm_avx2/include/openssl/x509v3.h	93968	text/plain	5.3537	0cd069b20f7f5c117ffac07a4d59a319cf5bcb2a36da07d2675f04d5cfc5b296
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm_avx2/include/progs.h	4986	text/plain	4.8320	d696d55cd816566a7418d04a822c3f0731c84534d204df4eb147282e4e662d87
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm_avx2/providers/common/include/prov/der_digests.h	6130	text/plain	5.4049	79ebec0a25afb8ba4aa63fdb7021b7a988241289fe588108c8975360a6f6dd89
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm_avx2/providers/common/include/prov/der_dsa.h	3871	text/plain	5.3546	e9eacfd0ce9fb52881d9eb7728feb1de0117f2458b3407bb5fffec84c6f51850
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm_avx2/providers/common/include/prov/der_ec.h	11338	text/plain	5.4695	0768ef2c01051ea1b715aa08ba12f18e54fc3aaf943a57b23bd32e203f0935d8
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm_avx2/providers/common/include/prov/der_ecx.h	1819	text/plain	5.4553	2ce0aae458cec7678368a096cd6ca012fbab5b794dd43db41b6f1539e1876388
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm_avx2/providers/common/include/prov/der_rsa.h	8445	text/plain	5.4306	9307942ac058a50e047cd16e31b56d6aa17ff0b55eb3ec01a82496de281fdfd0
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm_avx2/providers/common/include/prov/der_sm2.h	1314	text/plain	5.3291	077d3dd0b53847b35ad051d6c8e130bb6ad55ee8ceb7e3f72609a10ca5506fa0
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/asm_avx2/providers/common/include/prov/der_wrap.h	1746	text/plain	5.4517	878f6b253c6e7e4f964caa94fb4e81d6aa687f41e172655fbd9f1f6cbdd47dc3

Path	Size (bytes)	Type	Entropy	SHA-256
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/no-asm/crypto/buildinf.h	1254	text/plain	4.7594	23a7665d3f93dc3cc21b5c1ec32a7c635e49d171060f5175d175e3e5117d4fa2
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/no-asm/include/crypto/bn_conf.h	837	text/plain	5.1045	5f2936059df6a332fc67940c630bacaa23594d43d6cf39c37c286e47f136197c
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/no-asm/include/crypto/dso_conf.h	582	text/plain	5.1335	80a640ddd26cc8414cfbab7bf6cf208d15901ec0844ef3917c1f8ea6dd9cc66e
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/no-asm/include/openssl/asn1.h	60914	text/plain	5.2590	5d6c3a8c878bafcadfc582776265c46c9338a0ff6825a6f5ac2e9bda721959da
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/no-asm/include/openssl/asn1t.h	35937	text/plain	4.9732	a3c3f5b114cb48eee9fc7a4cabec55c895de8edc592753a46c40c650a90200cb
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/no-asm/include/openssl/bio.h	39844	text/plain	5.0748	4ca14c78a7d22dace2c9447483ea95b9b9862e628ae38c99bd1c0c83214fbff7
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/no-asm/include/openssl/cmp.h	41123	text/plain	5.1760	dd97023fb4cd6797be58ca9cfcd65b6cb74045fd6068fc23d5dca1a45926ec6a
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/no-asm/include/openssl/cms.h	34081	text/plain	4.9252	d9ab5e872b5fcffe83aba492b1ef3ea01cd9fc0e39f375e6a5d969d0503c7759
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/no-asm/include/openssl/conf.h	10485	text/plain	5.2294	242d80993db5c77fc7a689b85019fe98ddf3273454256b44f02bd22f6f572c48
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/no-asm/include/openssl/configuration.h	3064	text/plain	5.0470	00d866fd8b550f14cb94fdc4a5bbceae26b4c12e685715e08af5b72b865f1963
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/no-asm/include/openssl/crmf.h	14644	text/plain	5.1728	82845b3e6709944bd15b51b29ea4759f0ada0155490580e7c63dbd82a367ee74
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/no-asm/include/openssl/crypto.h	23945	text/plain	5.1797	2ed5e2353be9cce5a0ce0478253ee938f72ef600422a6cc0681536434b4b72a8
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/no-asm/include/openssl/ct.h	22765	text/plain	5.0840	67ac51cc9f39d5674eb1cd9e8282fe1ed2da84db50c1ac9aaeaac9c8f2b236d3
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/no-asm/include/openssl/err.h	21978	text/plain	5.0485	3cc1e1dbda3781fec4f515b1d61e31c39c6e76b802b3150e7c977b0b0a213608
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/no-asm/include/openssl/ess.h	8968	text/plain	5.0184	9da64664080d13f1f541f425dbac6305159d6c47309121427d77c67744c88de0
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/no-asm/include/openssl/fipskey.h	1010	text/plain	5.2829	056f3c751af11919d3b7c87c33d5f014453a65bf82e95a7e2355149d5a718d3d
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/no-asm/include/openssl/lhash.h	14061	text/plain	5.0935	5c8983ed315c545b091df0aabc2ce42392f573ec112894a74727211ff0552a1f
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/no-asm/include/openssl/ocsp.h	29352	text/plain	5.1686	0e229d683a7e716a3834157218f692f0db7996f4b473da08c57ffdffbd661eb3
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/no-asm/include/openssl/opensslv.h	3206	text/plain	5.2494	674f13fcee82d96b271b52da5d63eba8e152e7b04761f7909e75774b0ff7e096
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/no-asm/include/openssl/pkcs12.h	19316	text/plain	4.8484	e4d337e42421cc7b6686ff1f8fbee746672402c95ea41711c26b120158508b3b
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/no-asm/include/openssl/pkcs7.h	22422	text/plain	5.2774	89250f71cb91a84ad3f718269d133a9565888b4b2d7e1a89a6472673c5edd3c4

Path	Size (bytes)	Type	Entropy	SHA-256
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/no-asm/include/openssl/safestack.h	18439	text/plain	5.1322	19ee08576dd9663c91a68ead50a8de4da6c6eb80bc67526b59015c766ddfec33
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/no-asm/include/openssl/srp.h	15487	text/plain	5.1464	7f8fe9346e7b96fffab973029ebc955c6bb89e7556391281b0dd49205d49e33c
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/no-asm/include/openssl/ssl.h	127787	text/plain	4.9934	5cde1092068b9dcf783e2cf079032a8938dc639df9f5d5e7e01ea69a43e481ca
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/no-asm/include/openssl/ui.h	19251	text/plain	4.8591	71663d97e048fd14e4652af8402acb72200784b1940bd70b39b442c6d5c99bd9
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/no-asm/include/openssl/x509.h	71548	text/plain	5.2900	83e45fe8bf3c36c1c7926fdb4bddb1ffbbe4cc2338eb96bba7d1c71f10b70211
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/no-asm/include/openssl/x509_vfy.h	52027	text/plain	5.2036	565a4a3c00b770e7941ae6b969000bf6fbbe7644d67e6faacc81c32766ca9886
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/no-asm/include/openssl/x509v3.h	93968	text/plain	5.3537	0cd069b20f7f5c117ffac07a4d59a319cf5bcb2a36da07d2675f04d5cfc5b296
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/no-asm/include/progs.h	4986	text/plain	4.8320	d696d55cd816566a7418d04a822c3f0731c84534d204df4eb147282e4e662d87
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/no-asm/providers/common/include/prov/der_digests.h	6130	text/plain	5.4049	79ebec0a25afb8ba4aa63fdb7021b7a988241289fe588108c8975360a6f6dd89
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/no-asm/providers/common/include/prov/der_dsa.h	3871	text/plain	5.3546	e9eacfd0ce9fb52881d9eb7728feb1de0117f2458b3407bb5fffec84c6f51850
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/no-asm/providers/common/include/prov/der_ec.h	11338	text/plain	5.4695	0768ef2c01051ea1b715aa08ba12f18e54fc3aaf943a57b23bd32e203f0935d8
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/no-asm/providers/common/include/prov/der_ecx.h	1819	text/plain	5.4553	2ce0aae458cec7678368a096cd6ca012fbab5b794dd43db41b6f1539e1876388
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/no-asm/providers/common/include/prov/der_rsa.h	8445	text/plain	5.4306	9307942ac058a50e047cd16e31b56d6aa17ff0b55eb3ec01a82496de281fdfd0
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/no-asm/providers/common/include/prov/der_sm2.h	1314	text/plain	5.3291	077d3dd0b53847b35ad051d6c8e130bb6ad55ee8ceb7e3f72609a10ca5506fa0
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/BSD-x86_64/no-asm/providers/common/include/prov/der_wrap.h	1746	text/plain	5.4517	878f6b253c6e7e4f964caa94fb4e81d6aa687f41e172655fbd9f1f6cbdd47dc3
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/VC-WIN32/asm/crypto/buildinf.h	2259	text/plain	4.1308	75acecf44c31e0d632e7b80d9c9a89025fc4894300f4d447e37d391e71e0857a
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/VC-WIN32/asm/include/crypto/bn_conf.h	837	text/plain	5.0996	5ccf268a9b591b4f023c288e8eef2f72fcbaa803d9dce585675a8c71092bf6b8
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/VC-WIN32/asm/include/crypto/dso_conf.h	561	text/plain	5.1155	7cdf4a7b90a5deb9a5162edbc1b5860f9d4ea4d46194018e93fe2bf2fe68f562
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/VC-WIN32/asm/include/openssl/asn1.h	60914	text/plain	5.2590	440a835bf9f5f555c14993a5702d93a0a3b66b1c76aba2a386aeb8857dff56ab

Path	Size (bytes)	Type	Entropy	SHA-256
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/VC-WIN32/asm/include/openssl/asn1t.h	35937	text/plain	4.9732	8214dfd8b58b5544829b7bd4fa5335e040e3beeb50de347912e154f4e7a3329b
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/VC-WIN32/asm/include/openssl/bio.h	39844	text/plain	5.0748	3d871c1559160030c89f2d29e02d99ce12c30fec12ab0600bf90af272733a17a
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/VC-WIN32/asm/include/openssl/cmp.h	41123	text/plain	5.1760	28abbca1b6798a226a323c5b23dd884d3fe739f5d9c8b0f1329cc665355d6317
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/VC-WIN32/asm/include/openssl/cms.h	34081	text/plain	4.9253	f0be58363ac65f4f1d4b977d92cb38a5997df79a3395eb8f9a8b6ba35e9d7cf2
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/VC-WIN32/asm/include/openssl/conf.h	10485	text/plain	5.2292	3b3701bc14bbba26bf19f27cc200e3e5818180ab5ef73bc940d11462c640c298
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/VC-WIN32/asm/include/openssl/configuration.h	3096	text/plain	5.0253	1e0ad871a49fe9fd04b6856805092afe8d6c24207cbd1c3328c2e26fe3d6f9ff
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/VC-WIN32/asm/include/openssl/crmf.h	14644	text/plain	5.1729	dbb4c0656a9b117fba50afa563567417ca6f66892c36d93a6bfaf528a3d0adcf
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/VC-WIN32/asm/include/openssl/crypto.h	23945	text/plain	5.1796	ded97fdb455b50263665720f7d6dba014b8d38a358867453f89306af75f111c5
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/VC-WIN32/asm/include/openssl/ct.h	22765	text/plain	5.0838	1283ea861a3e49f3c18031f9e4ca6a008bee3c86ac8a58947cc682ad32c279f3
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/VC-WIN32/asm/include/openssl/err.h	21978	text/plain	5.0485	3cc1e1dbda3781fec4f515b1d61e31c39c6e76b802b3150e7c977b0b0a213608
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/VC-WIN32/asm/include/openssl/ess.h	8968	text/plain	5.0181	46f9da9a4f6609cbf27574cb0d971edc65aed8b46542d692b062f421a650da49
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/VC-WIN32/asm/include/openssl/fipskey.h	1010	text/plain	5.2818	5a536e3c258707321e28a5bf1379b40487d952408f532e250c0a91327d026545
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/VC-WIN32/asm/include/openssl/lhash.h	14061	text/plain	5.0935	5c8983ed315c545b091df0aabc2ce42392f573ec112894a74727211ff0552a1f
node-v22.11.0.pkg/node-v22.11.0.pkg/Payload/usr/local/include/node/openssl/archs/VC-WIN32/asm/include/openssl/ocsp.h	29352	text/plain	5.1685	d8e5ce042443ddecbf3a2e09a6886c11c966facdab99791ce89a2b177693a700

The table shows the first 300 of 4894 files; report.json lists them all.

14 Coverage and limitations

Every file in the tree was read in full.

Trust was not evaluated online or against system policy (1)

Every signature check was made offline: certificate revocation was not queried, expiry as of today was not judged, Apple was not asked about notarization, and Gatekeeper's policy was not simulated (requirement expressions were not evaluated). “Verified” in this report covers only the checks it names.

- Affects: the whole run